


OxyTech Srl
Legal and Operational Headquarters
Via G.B.Vico 54 / 56 - I - 20007 Cornaredo MI Italia EU
Tel. +39 02 93563258
www.oxytech.it - e-mail info@oxytech.it

Test Report

Manufacturer	OxyTech
Sample Description	123.456
Report Issue Date	6-4-2023
Photometric Test Code	123.456



	
Stefano Borsani	Fabio Ragni
Laboratory Manager (DLAB)	Laboratory Technician

Contents

Instrument Data	3
Instrumentation Data	3
Measurement Data	4
Measurement Data	4
Photometric References	4
Laboratory Uncertainties	4
Test Data	5
Manufacturer and Device General Data	5
Test Sample (DUT) Data	5
General Data	6
Spectral Diagrams	7
Custom Image	8
Road Luminaire Classification	9
BUG IES TM-15 Road Lighting Classification	10
Isocandle Curves	11
Isolux Diagram	12
Intensity Table	13

Instrument Data

Instrumentation Data		
Instrument Type	Description	Registration Number
Custom	OxyTech T2	OX-048
Luxmeter	C&G Labolux - [lux]	OX-049
Wattmeter	Newtons Ppa 5530 - [W]	OX-031
Ammeter	Newtons Ppa 5530 - [A]	OX-031
Voltmeter	Newtons Ppa 5530 - [V]	OX-031
Anemometer	Delta Ohm HD2001.2 - [m/sec]	OX-083
Thermometer	Delta Ohm HD2001.2 - [°C]	OX-084
Spectrometer	Jeti 1201 Focus - [W/m ²]+[W/m ² *sr]	OX-030
PSU	Elettrotest TPS-M6000	OX-037



Electrical Test Parameters	
Source Type	via Mains
Supply Voltage	230 V $\pm$ 0.2%
Harmonic Distorsion	< 0,5%
Source Frequency	50 Hz $\pm$ 0.1%

Enviromental Conditions	
Laboratory Temperature	25°C $\pm$ 1°C
Relative Humidity	60%
Air movement	< 0,2 m/s

The data in this Report correspond to those collected in the manner mentioned above

This Report concerns only the sample under test


The extension of this Report to other specimens goes beyond the limits of the report itself

This Report was automatically generated with LITESTAR 4D Pv Report Plus

Measurement Data

Measurement Data	
Test Data	6-4-2023
Measurement Type	C-Gamma Asymmetrical
Reference Standards	- EN 13032-4-2015 Light and lighting - Measurement and presentation of photometric data of lamps and luminaires 2015 - CIE S-025 2015 Test Method for LED Lamps, Luminaires and Modules 2015
Internal Reference	Procedura:PT1006a Istruzione:IS1006
Stabilization Time	45 min

Photometric References



Laboratory Uncertainties

Luminous Flux	< 2,5%
Color Coordinates x,y	x +-0.003 - y +-0.004
CCT	+/- 50 K
CRI	+/-2%

Test Data

Manufacturer Data	
Manufacturer	OxyTech
Address	Via G.B.Vico 54 / 56 - I - 20007 Cornaredo MI Italia EU

Test Sample (DUT) Data	
Product Name	STREET 123
Model	123.456
Pictures	
Dimensions [mm]	Length: 500 Width: 265 Height: 100
Luminous Area [mm]	Length: 205 Width: 235 Height: 0
Device Power Supply	230.05V 0.34A 77.49W 50.00Hz
LED Power Supply	0.00V 0.00A 0.00W 0.00Hz
Remarks	Power 77.49200 PF 0.98361

Luminaire

Code 123.456
Name STREET 123
Line STREET

Measurem.

Code 123.456
Name STREET 123

Source Data

Code	123.456	Correlated Color Temperature (CCT)	4056K	Q.ty	1
Name	STREET 123	Color rendering index (CRI)	82		
Line					

Measurement data

Coordinate system	CG	Symmetry Type	Asymmetrical
Date	06-04-2023	Maximum Gamma Angle	180°
Measurement Distance	9.11m	Measurement Flux	10354.1 lm
Maximum	631.91 cd/klm	Position	C=162.5° G=68.0°
Remarks	Power 77.49200PF 0.98361		

Electrical Parameters

Channel 1		Channel 2	
Voltage	230.05 V	Voltage	0.00 V
Current	0.34 A	Current	0.00 A
Power	77.49 W	Power	0.00 W
Frequency	50 Hz	Frequency	0 Hz
Power Factor	0.98	Power Factor	0.00

Environmental Parameters


Temperature	24.8 °C	Air Speed	0.0 m/s
Humidity	24.2 %		

Luminaire Dimensions

Rectangular Luminaire	Length	500 mm	Width	265 mm	Height	100 mm
Rectangular Luminous Area	Length	205 mm	Width	235 mm	Height	0 mm
Horizontal Luminous Area	0.048175 m2		Emitting area on Plane 180°	0.000000 m2		
Emitting area on Plane 0°	0.000000 m2		Emitting area on Plane 270°	0.000000 m2		
Emitting area on Plane 90°	0.000000 m2		Glare area at 76°	0.011655 m2		


Photometric Assessment

Luminaire Flux	10319.6 lm	Source Flux	10354.1 lm
Efficacy	133.174 lm/W	Efficiency	99.7 %
CIE Flux Codes	41 76 97 100 100	D DIN 5040	A30



C Halfplanes
180.0 — 0.0
270.0 — 90.0

ULOR 0.00 %
DLOR 99.67 %
RN 0.00 %



Luminaire

Code 123.456
Name STREET 123

Measurement

Code 123.456
Name STREET 123

Luminaire Flux	10320 lm	Luminaire Power	77.5 W	Efficacy	133.174 lm/W	Efficiency	99.67%
Source Flux	10354 lm	Maximum value	631.91 cd/klm	Position	C=162.50 G=68.00	CG	Asymmetrical

Spectral Data

Std.: IES LM79 08

CIE1931 $x=0.377857$ $y=0.374637$
CIE1960 $u=0.224250$ $v=0.333508$
CIE1976 $u'=0.224250$ $v'=0.500262$
D(u,v) 0.00023
Delta(u',v') 0.17215

Relief distance = 3.00 m

Color rendering index (CRI)
Color Rendering Components

CCT = 4056 K

CRI8(Ra) 82.0



CRI15(Rav) 75.0

R 1: 80.2 R 2: 89.3 R 3: 95.1 R 4: 80.3 R 5: 80.4
R 6: 84.7 R 7: 84.6 R 8: 61.7 R 9: 1.5 R10: 74.4
R11: 79.1 R12: 60.2 R13: 82.6 R14: 97.7 R15: 73.5

Spectral Distribution

l(nm)	Spectral flux, W/nm	l(nm)	Spectral flux, W/nm	l(nm)	Spectral flux, W/nm
380.0	0.000237	386.0	0.000197	392.0	0.000222
398.0	0.000214	404.0	0.000232	410.0	0.000456
416.0	0.001124	422.0	0.004291	428.0	0.012462
434.0	0.029222	440.0	0.061053	446.0	0.123448
452.0	0.156775	458.0	0.111325	464.0	0.079910
470.0	0.058060	476.0	0.042311	482.0	0.040087
488.0	0.044367	494.0	0.052741	500.0	0.063376
506.0	0.072825	512.0	0.080515	518.0	0.085960
524.0	0.090096	530.0	0.093551	536.0	0.097064
542.0	0.100415	548.0	0.104352	554.0	0.108963
560.0	0.114789	566.0	0.119834	572.0	0.125140
578.0	0.129699	584.0	0.133112	590.0	0.135123
596.0	0.135038	602.0	0.132895	608.0	0.128074
614.0	0.121407	620.0	0.113189	626.0	0.103752
632.0	0.093697	638.0	0.083276	644.0	0.073151
650.0	0.063572	656.0	0.054544	662.0	0.046429
668.0	0.038768	674.0	0.032462	680.0	0.026737
686.0	0.021897	692.0	0.017926	698.0	0.014299
704.0	0.011512	710.0	0.009025	716.0	0.006887
722.0	0.005233	728.0	0.004010	734.0	0.002543
740.0	0.001966	746.0	0.001303	752.0	0.000714
758.0	0.000454	764.0	0.000347	770.0	0.000258
776.0	0.000216				

Spectrum Graph



Luminaire



Code 123.456
Name STREET 123

Measurem.

Code 123.456
Name STREET 123

Luminaire Flux	10320 lm	Luminaire Power	77.5 W	Efficacy	133.174 lm/W	Efficiency	99.67%
Source Flux	10354 lm	Maximum value	631.91 cd/klm	Position	C=162.50 G=68.00	CG	Asymmetrical



CRI Graphs



McAdam's Diagram

Analisi di MacAdams
ANSI C78-376

- Step 3: 0 / 76
- Step 5: 0 / 76
- Step 7: 0 / 76
- Step outside: 76 / 76
- Int. Spec. in 4-step: NO
- 95% in 5-step: NO




Luminaire

Code 123.456
Name STREET 123


Measurement

Code 123.456
Name STREET 123


Luminaire Flux	10320 lm	Luminaire Power	77.5 W	Efficacy	133.174 lm/W	Efficiency	99.67%
Source Flux	10354 lm	Maximum value	631.91 cd/klm	Position	C=162.50 G=68.00	CG	Asymmetrical




Chromatic Coordinates (a', b') 99 CES




Color Vector Graphic




Color Distorsion Graphic




Rg vs Rf Plot



Gamut Polygon



Bin Deviation



Luminaire

Code 123.456
Name STREET 123

Measurem.

Code 123.456
Name STREET 123

Luminaire Flux	10320 lm	Luminaire Power	77.5 W	Efficacy	133.174 lm/W	Efficiency	99.67%
Source Flux	10354 lm	Maximum value	631.91 cd/klm	Position	C=162.50 G=68.00	CG	Asymmetrical


Standard	UE 20192015
Produttore	
Total Flux	10354.1 lm
Angolo del Fascio Originale	0.00°
	Non Directional
Flusso Luminoso Utile	10354.1 lm
Potenza Caratteristica	77.5 W
	On mains (MLS)
Indice di Efficienza Energetica	133.6
Tipo Sorgente	LFL_T5_HE
	None
eta=98.9 lm/W L=1.9 W C=1.08	
Ponmax = 116.27	

PASS



OxyTech

123.456



77.5
kWh/1000h



Luminaire

Code 123.456
Name STREET 123

Measurem.


Code 123.456
Name STREET 123

Luminaire Flux	10320 lm	Luminaire Power	77.5 W	Efficacy	133.174 lm/W	Efficiency	99.67%
Source Flux	10354 lm	Maximum value	631.91 cd/klm	Position	C=162.50 G=68.00	CG	Asymmetrical

Pavement			Road		
Angle	0	0.00%	Angle	0	0.00%
Angle	-5	4.62%	Angle	5	4.69%
Angle	-10	9.28%	Angle	10	9.65%
Angle	-15	13.93%	Angle	15	15.05%
Angle	-20	18.31%	Angle	20	20.94%
Angle	-25	22.04%	Angle	25	27.25%
Angle	-30	24.74%	Angle	30	33.84%
Angle	-35	26.49%	Angle	35	40.70%
Angle	-40	27.79%	Angle	40	47.80%
Angle	-45	28.85%	Angle	45	54.67%
Angle	-50	29.73%	Angle	50	60.18%
Angle	-55	30.43%	Angle	55	63.56%
Angle	-60	30.99%	Angle	60	65.41%
Angle	-65	31.44%	Angle	65	66.52%
Angle	-70	31.77%	Angle	70	67.11%
Angle	-75	32.00%	Angle	75	67.38%
Angle	-80	32.11%	Angle	80	67.49%
Angle	-85	32.14%	Angle	85	67.52%
Angle	-90	32.14%	Angle	90	67.52%

Tilting Angle = 0.0

DLOR = 99.67%



Spread	43.8° Narrow	DLOR	99.66577 %
Throw	67.5° Intermediate	ULOR	0.00107 %
SLI	3.9 Moderate	Efficiency	99.66684 %
CIE Cutoff	Semi-Cutoff - Max: C=162.5° Gamma=68.0°	RN	0.00108 %
Iesna Cutoff	Cutoff	Luminous Intensity Class	G*3
DIN5044	KB2	Glare Index	D6
IESNA Type II Medium Asymmetrical			

Luminaire



Code 123.456
Name STREET 123

Measurem.

Code 123.456
Name STREET 123

Luminaire Flux	10320 lm	Luminaire Power	77.5 W	Efficacy	133.174 lm/W	Efficiency	99.67%
Source Flux	10354 lm	Maximum value	631.91 cd/klm	Position	C=162.50 G=68.00	CG	Asymmetrical

US ROAD STANDARDS



Luminaire Classification System (LCS)

LCS Zone		Lumens	%Lamp	%Lum
FL	0° -- 30°	1347.6 lm	13.0 %	13.1 %
FM	30° -- 60°	3949.2 lm	38.1 %	38.3 %
FH	60° -- 80°	1674.8 lm	16.2 %	16.2 %
FVH	80° -- 90°	19.7 lm	0.2 %	0.2 %
BL	0° -- 30°	1019.6 lm	9.8 %	9.9 %
BM	30° -- 60°	1571.7 lm	15.2 %	15.2 %
BH	60° -- 80°	725.5 lm	7.0 %	7.0 %
BVH	80° -- 90°	11.4 lm	0.1 %	0.1 %
UL	90° -- 100°	0.1 lm	0.0 %	0.0 %
UH	100° -- 180°	0.0 lm	0.0 %	0.0 %
TOTALS		10319.6 lm	99.7 %	100.0 %
BUG B3 U1 G2 Type II Medium Asymmetrical				

Luminaire

Code 123.456
Name STREET 123


Measurem.

Code 123.456
Name STREET 123

Luminaire Flux	10320 lm	Luminaire Power	77.5 W	Efficacy	133.174 lm/W	Efficiency	99.67%
Source Flux	10354 lm	Maximum value	631.91 cd/klm	Position	C=162.50 G=68.00	CG	Asymmetrical

PERCENTAGE ISOCANDLES

Projection: Equal Area SLI 3.9 Moderate Tilting Angle:0°



Luminaire

Code 123.456
Name STREET 123


Measurement

Code 123.456
Name STREET 123

Luminaire Flux	10320 lm	Luminaire Power	77.5 W	Efficacy	133.174 lm/W	Efficiency	99.67%
Source Flux	10354 lm	Maximum value	631.91 cd/klm	Position	C=162.50 G=68.00	CG	Asymmetrical

Isolux (Floor)

Luminaire position X=0.00m Y=0.00m Z=2.50m



Luminaire

Code 123.456
Name STREET 123

Measurement

Code 123.456
Name STREET 123

Luminaire Flux		10320 lm		Luminaire Power		77.5 W		Efficacy		133.174 lm/W		Efficiency		99.67%	
Source Flux		10354 lm		Maximum value		631.91 cd/klm		Position		C=162.50 G=68.00		CG Asymmetrical			
Luminous Intensity Table cd/klm Table 1/36															
	C 270.00	C 272.50	C 275.00	C 277.50	C 280.00	C 282.50	C 285.00	C 287.50	C 290.00	C 292.50	C 295.00	C 297.50	C 300.00		
G 0.0	246	246	246	246	246	246	246	246	246	246	246	246	246	246	246
G 1.0	246	246	246	246	246	246	246	246	246	246	246	246	246	246	246
G 2.0	246	246	246	246	246	246	246	246	246	246	246	246	246	246	246
G 3.0	247	247	247	247	247	247	247	247	247	247	247	247	247	247	247
G 4.0	249	248	249	249	249	249	248	249	248	248	248	248	248	248	248
G 5.0	251	251	251	251	251	251	251	250	250	250	250	250	250	249	249
G 6.0	253	254	253	254	253	253	253	253	252	252	252	252	252	251	251
G 7.0	256	256	256	256	256	256	256	255	255	255	255	255	254	254	254
G 8.0	260	260	259	259	259	259	259	258	258	258	258	257	257	256	256
G 9.0	262	262	262	262	261	262	261	261	261	260	260	259	258	258	258
G 10.0	264	264	264	264	264	264	263	263	263	262	262	261	261	261	261
G 11.0	265	266	266	266	266	265	265	265	264	264	263	263	262	262	262
G 12.0	267	267	267	267	267	266	266	266	266	265	265	264	263	263	263
G 13.0	267	267	267	267	267	267	267	266	266	266	265	265	264	264	264
G 14.0	265	265	266	266	266	266	266	266	266	265	265	264	264	264	264
G 15.0	263	263	263	263	264	264	264	264	264	264	263	263	263	263	263
G 16.0	260	259	260	260	260	260	261	261	261	261	261	261	261	261	261
G 17.0	255	255	255	256	256	257	258	257	257	257	257	258	258	258	258
G 18.0	249	249	249	250	250	251	252	252	252	253	253	253	253	253	253
G 19.0	241	241	242	242	243	243	244	245	246	246	247	248	249	249	249
G 20.0	233	233	234	234	236	236	237	237	239	240	240	241	243	243	243
G 21.0	224	225	225	226	227	227	228	229	230	231	233	234	235	235	235
G 22.0	216	214	216	216	218	218	220	219	221	223	225	226	228	228	228
G 23.0	204	204	205	206	206	207	209	210	212	214	215	217	220	220	220
G 24.0	191	193	193	193	194	197	199	198	201	202	205	206	211	211	211
G 25.0	177	176	178	179	181	181	184	186	189	190	194	196	199	199	199
G 26.0	162	161	163	166	167	167	168	169	174	177	180	184	190	190	190
G 27.0	144	143	145	146	149	150	154	156	160	163	166	171	177	177	177
G 28.0	125	125	126	127	130	133	136	136	142	147	152	159	165	165	165
G 29.0	105	107	108	109	112	113	118	121	126	129	138	143	151	151	151
G 30.0	92	91	93	93	97	97	100	104	110	114	122	127	137	137	137
G 31.0	82	81	83	83	84	85	88	90	94	99	105	113	121	121	121
G 32.0	77	76	76	76	77	77	79	80	83	87	93	98	107	107	107
G 33.0	73	73	73	73	73	73	73	74	76	78	82	86	94	94	94
G 34.0	72	72	72	71	70	70	70	70	71	72	74	78	83	83	83
G 35.0	71	71	71	70	69	69	68	68	68	68	70	72	76	76	76
G 36.0	71	71	71	70	70	69	68	67	67	67	67	69	71	71	71
G 37.0	71	71	71	71	70	69	68	67	66	66	66	66	68	68	68
G 38.0	72	72	72	72	71	70	69	68	67	66	65	65	65	65	65
G 39.0	73	73	73	72	72	71	70	69	67	66	65	64	64	64	64
G 40.0	73	74	73	73	72	71	70	69	68	67	65	64	63	63	63
G 41.0	74	74	74	73	72	72	71	70	69	67	66	64	63	63	63
G 42.0	74	74	74	73	73	72	71	70	69	68	66	65	63	63	63
G 43.0	74	74	74	73	73	72	71	71	70	68	67	65	63	63	63
G 44.0	74	74	74	73	73	72	71	71	70	69	67	65	63	63	63
G 45.0	74	74	74	74	73	72	71	70	70	68	67	65	63	63	63
G 46.0	74	74	74	73	72	71	70	69	68	67	66	64	62	62	62
G 47.0	73	73	73	72	71	70	69	68	67	66	65	64	62	62	62
G 48.0	71	71	71	71	70	69	68	67	66	65	64	63	61	61	61
G 49.0	68	67	69	69	69	68	67	66	65	64	63	62	60	60	60
G 50.0	64	64	65	66	67	67	66	65	64	63	62	61	59	59	59
G 51.0	60	60	61	63	65	65	65	64	63	62	61	60	58	58	58
G 52.0	57	57	58	59	62	62	62	62	62	61	60	58	57	57	57
G 53.0	54	54	54	55	57	59	60	59	59	59	58	57	56	56	56
G 54.0	51	51	52	52	53	54	56	56	57	56	56	55	54	54	54
G 55.0	49	49	49	49	50	51	52	52	53	53	54	53	52	52	52
G 56.0	47	47	47	47	48	48	49	49	50	50	51	50	49	49	49
G 57.0	46	46	46	45	46	46	46	46	47	47	47	47	47	47	47
G 58.0	45	45	45	44	44	44	44	44	44	44	45	45	44	44	44
G 59.0	43	43	43	43	43	43	43	42	42	42	42	42	42	42	42
G 60.0	41	41	41	41	41	41	41	41	40	39	40	40	40	40	40
G 61.0	39	39	39	39	39	39	40	39	39	38	38	38	38	38	38
G 62.0	38	38	38	38	37	37	38	38	37	37	36	36	37	37	37
G 63.0	36	35	36	36	36	36	36	36	36	35	35	35	35	35	35
G 64.0	33	33	34	34	34	34	35	34	34	34	34	34	34	34	34
G 65.0	31	31	31	31	32	33	33	33	33	32	33	33	33	33	33
G 66.0	29	29	29	30	30	31	31	31	31	31	31	32	33	33	33
G 67.0	28	28	28	28	29	29	30	30	30	30	30	31	32	32	32
G 68.0	27	27	27	27	27	28	28	28	28	28	29	30	30	30	30
G 69.0	26	26	25	26	26	27	27	26	26	26	27	28	28	28	28
G 70.0	24	24	24	24	25	25	25	25	25	25	25	26	26	26	26
G 71.0	23	22	23	22	23	23	24	23	23	24	24	24	24	24	24
G 72.0	21	21	21	21	21	21	21	21	21	22	23	22	22	22	22

Luminaire

Code 123.456
Name STREET 123

Measurement

Code 123.456
Name STREET 123

Luminaire Flux		10320 lm		Luminaire Power		77.5 W		Efficacy		133.174 lm/W		Efficiency		99.67%	
Source Flux		10354 lm		Maximum value		631.91 cd/klm		Position		C=162.50 G=68.00		CG Asymmetrical			
Luminous Intensity Table cd/klm Table 2/36															
	C 302.50	C 305.00	C 307.50	C 310.00	C 312.50	C 315.00	C 317.50	C 320.00	C 322.50	C 325.00	C 327.50	C 330.00	C 332.50		
G 0.0	246	246	246	246	246	246	246	246	246	246	246	246	246	246	246
G 1.0	246	246	246	246	246	246	246	246	245	245	246	246	246	245	245
G 2.0	246	246	246	246	246	246	246	246	246	246	246	245	246	245	245
G 3.0	247	246	246	246	246	246	246	246	246	246	246	246	246	246	245
G 4.0	248	247	247	247	247	247	247	246	246	246	246	246	246	246	246
G 5.0	249	249	249	248	248	248	247	247	247	247	246	246	246	246	246
G 6.0	251	251	250	250	249	249	248	248	248	247	247	247	247	246	246
G 7.0	253	253	252	252	251	250	250	249	249	248	248	248	247	247	247
G 8.0	256	255	254	254	253	252	251	251	250	249	248	248	248	247	247
G 9.0	258	258	257	255	255	254	253	252	251	250	249	249	249	248	248
G 10.0	260	259	259	257	257	256	255	254	252	252	250	250	250	249	249
G 11.0	262	261	260	259	258	257	256	255	254	253	252	250	250	249	249
G 12.0	263	262	261	260	259	258	257	256	254	253	253	251	250	249	249
G 13.0	263	262	261	261	260	259	257	256	255	254	253	252	251	250	250
G 14.0	263	262	261	261	260	259	258	257	256	255	254	253	252	251	251
G 15.0	262	261	261	260	259	259	258	257	256	255	255	254	253	252	252
G 16.0	260	260	259	259	259	258	257	257	257	256	255	255	254	253	253
G 17.0	257	257	257	257	257	257	257	257	257	256	256	256	255	254	254
G 18.0	253	254	254	254	255	256	256	257	257	257	257	256	256	255	255
G 19.0	249	250	250	251	252	254	255	256	257	257	257	257	257	256	256
G 20.0	244	246	246	248	249	251	253	255	256	257	257	258	257	256	256
G 21.0	237	239	242	243	245	247	250	253	254	256	257	258	258	257	257
G 22.0	230	233	236	239	241	244	247	250	252	255	257	258	258	257	257
G 23.0	222	226	228	233	237	241	244	247	250	253	256	258	259	258	258
G 24.0	213	218	221	226	231	236	240	244	248	251	254	257	258	257	257
G 25.0	204	209	214	219	225	231	236	241	245	249	252	255	257	256	256
G 26.0	194	200	206	212	219	224	232	238	242	246	250	254	256	255	255
G 27.0	182	190	196	204	210	219	225	233	238	243	248	252	255	254	254
G 28.0	170	179	187	195	202	210	219	226	234	240	245	250	254	253	253
G 29.0	158	167	175	184	194	203	212	220	228	236	242	248	252	251	251
G 30.0	146	156	163	175	184	194	203	213	222	232	238	245	250	249	249
G 31.0	131	142	152	163	173	186	196	206	216	226	235	242	248	247	247
G 32.0	116	127	138	151	163	175	186	198	209	221	230	239	245	244	244
G 33.0	102	114	125	138	151	164	176	190	202	214	225	235	243	242	242
G 34.0	91	100	112	125	138	153	166	180	194	206	219	231	240	239	239
G 35.0	81	89	98	112	125	140	156	171	185	200	214	227	237	236	236
G 36.0	75	80	87	97	112	127	144	161	177	192	207	221	234	233	233
G 37.0	70	74	80	88	100	116	131	149	167	185	201	216	230	229	229
G 38.0	67	69	73	80	89	104	118	138	158	176	194	211	226	225	225
G 39.0	64	66	68	73	81	93	108	127	146	168	187	205	222	221	221
G 40.0	63	63	65	68	74	84	98	115	135	157	179	199	217	216	216
G 41.0	62	61	62	65	69	77	89	105	125	148	170	193	212	211	211
G 42.0	61	60	60	62	65	72	82	96	116	138	163	185	207	206	206
G 43.0	61	59	59	60	62	67	75	88	106	129	153	178	201	200	200
G 44.0	61	59	58	58	59	63	70	81	97	118	143	170	195	194	194
G 45.0	61	59	57	57	57	60	66	75	89	109	134	161	188	187	187
G 46.0	61	59	57	55	55	57	62	70	82	100	123	152	181	180	180
G 47.0	60	58	56	55	54	55	59	65	76	93	115	144	173	172	172
G 48.0	60	58	56	54	53	54	56	61	70	85	106	135	165	164	164
G 49.0	59	57	55	53	52	52	54	58	66	79	98	125	156	155	155
G 50.0	58	56	54	52	51	51	52	55	61	73	91	116	148	147	147
G 51.0	57	55	53	51	50	50	50	53	58	67	83	108	139	138	138
G 52.0	56	54	52	50	49	49	49	51	54	63	76	99	129	128	128
G 53.0	54	52	50	49	48	47	47	48	52	58	70	91	119	118	118
G 54.0	53	51	49	47	46	46	45	46	49	54	65	84	110	109	109
G 55.0	51	50	48	46	45	44	43	44	46	50	60	77	102	101	101
G 56.0	49	48	46	45	43	42	42	42	43	47	55	70	95	94	94
G 57.0	47	47	45	43	42	41	40	40	41	44	51	65	88	87	87
G 58.0	44	45	44	42	40	39	38	38	39	42	47	59	81	80	80
G 59.0	42	44	43	41	38	38	37	37	37	39	44	55	73	72	72
G 60.0	41	42	42	41	37	36	35	35	35	37	41	50	66	65	65
G 61.0	39	41	41	40	36	35	34	33	33	35	38	45	60	59	59
G 62.0	38	39	40	39	36	33	32	32	31	32	35	42	54	53	53
G 63.0	36	38	38	38	35	31	31	30	30	30	33	38	48	47	47
G 64.0	35	36	37	36	34	30	29	28	28	28	30	35	44	43	43
G 65.0	34	35	35	34	33	29	27	27	27	27	29	32	40	39	39
G 66.0	33	33	33	33	32	28	26	25	25	25	26	30	36	35	35
G 67.0	32	32	32	31	29	27	24	24	24	24	25	27	32	31	31
G 68.0	30	30	29	30	28	25	23	22	22	22	23	25	29	28	28
G 69.0	27	27	27	27	25	23	21	21	20	20	21	23	26	25	25
G 70.0	25	25	25	25	23	21	20	19	19	19	19	20	23	22	22
G 71.0	23	23	23	22	21	20	19	18	18	17	18	18	20	19	19
G 72.0	21	21	20	20	19	18	17	16	16	16	16	16	18	17	17

Luminaire

Code 123.456
Name STREET 123

Measurement

Code 123.456
Name STREET 123

Luminaire Flux		10320 lm		Luminaire Power		77.5 W		Efficacy		133.174 lm/W		Efficiency		99.67%	
Source Flux		10354 lm		Maximum value		631.91 cd/klm		Position		C=162.50 G=68.00		CG Asymmetrical			
Luminous Intensity Table cd/klm														Table 3/36	
		C 335.00	C 337.50	C 340.00	C 342.50	C 345.00	C 347.50	C 350.00	C 352.50	C 355.00	C 357.50	C 0.00	C 2.50	C 5.00	
G 0.0	246	246	246	246	246	246	246	246	246	246	246	246	246	246	246
G 1.0	245	246	246	246	245	245	246	245	246	245	245	246	246	246	246
G 2.0	246	246	246	245	245	245	245	246	245	245	245	246	246	246	246
G 3.0	246	246	246	245	245	245	245	246	245	246	245	246	246	246	246
G 4.0	246	246	246	245	245	245	245	246	245	245	245	246	246	246	246
G 5.0	246	246	246	246	246	246	245	245	245	245	246	246	246	246	246
G 6.0	246	246	246	246	246	246	245	245	246	246	246	246	246	246	246
G 7.0	246	246	246	246	246	246	246	246	246	246	246	246	246	246	246
G 8.0	247	247	246	246	246	246	246	246	246	246	246	246	246	246	246
G 9.0	248	247	247	247	246	246	246	246	246	246	246	246	246	246	247
G 10.0	248	247	247	247	247	246	246	246	246	246	246	246	246	247	247
G 11.0	249	248	247	247	247	246	246	246	246	246	246	246	247	247	247
G 12.0	249	249	248	248	247	247	246	246	246	246	246	247	247	248	248
G 13.0	250	249	249	248	248	248	247	247	247	247	247	247	248	249	249
G 14.0	251	251	250	249	249	249	248	248	247	247	248	248	249	250	250
G 15.0	253	252	251	250	250	249	249	249	248	248	249	249	249	250	250
G 16.0	254	253	252	251	251	250	250	250	249	249	250	250	251	251	251
G 17.0	255	254	253	253	252	251	251	250	250	250	250	251	252	253	253
G 18.0	256	255	255	254	253	252	252	251	251	251	251	252	253	254	254
G 19.0	257	256	255	255	254	253	253	252	252	252	252	253	254	255	255
G 20.0	257	257	256	255	255	254	253	253	253	253	253	254	255	256	256
G 21.0	258	257	257	256	255	255	254	254	253	253	254	254	255	256	257
G 22.0	258	258	257	257	256	255	255	254	254	254	254	255	256	258	258
G 23.0	259	258	258	257	256	256	255	255	254	254	255	256	257	259	259
G 24.0	259	258	258	257	256	256	255	255	255	254	255	256	257	259	259
G 25.0	258	258	258	257	257	256	256	255	255	255	255	256	257	259	259
G 26.0	258	258	258	258	257	256	256	255	255	255	256	256	258	260	260
G 27.0	257	258	258	258	257	257	256	256	256	256	256	257	259	261	261
G 28.0	257	258	258	258	257	257	257	257	257	257	257	258	260	262	262
G 29.0	256	258	258	258	258	258	257	257	258	259	259	259	261	263	263
G 30.0	254	257	258	258	258	258	258	259	259	259	261	261	262	265	265
G 31.0	253	257	258	259	259	260	260	260	261	261	263	263	265	268	268
G 32.0	252	256	258	260	261	262	262	263	263	263	266	266	267	270	270
G 33.0	250	255	259	261	262	263	264	265	266	266	268	268	271	274	274
G 34.0	248	255	259	261	264	265	266	268	269	271	271	271	273	277	277
G 35.0	247	254	259	263	265	267	269	270	271	274	274	274	277	281	281
G 36.0	244	253	259	263	266	269	271	272	274	277	277	277	280	284	284
G 37.0	242	252	260	265	268	271	273	274	276	279	280	280	283	288	288
G 38.0	240	251	260	266	270	273	275	277	278	281	282	282	286	291	291
G 39.0	237	250	260	267	272	276	278	279	281	284	285	285	289	295	295
G 40.0	234	248	260	268	274	278	280	282	283	286	288	288	292	298	298
G 41.0	230	246	259	269	276	280	283	285	286	289	291	291	295	301	301
G 42.0	226	244	258	270	277	282	286	288	290	292	294	294	298	304	304
G 43.0	222	241	257	270	278	285	288	291	292	295	296	296	301	305	305
G 44.0	218	238	256	270	279	286	290	293	294	297	298	298	303	307	307
G 45.0	214	235	254	269	280	287	292	294	296	298	300	300	304	308	308
G 46.0	209	231	252	268	280	288	293	296	297	299	302	302	305	308	308
G 47.0	203	228	250	267	281	289	294	296	298	299	302	302	305	308	308
G 48.0	197	224	248	266	280	290	295	297	297	298	300	300	305	308	308
G 49.0	190	220	245	265	280	290	296	297	296	296	299	299	302	306	306
G 50.0	183	215	242	263	278	290	294	296	294	293	295	295	300	305	305
G 51.0	174	209	238	261	277	288	293	294	292	290	293	293	296	302	302
G 52.0	166	201	234	258	275	287	292	293	291	288	290	290	293	300	300
G 53.0	156	194	229	255	273	285	291	292	289	287	287	287	291	299	299
G 54.0	146	186	223	252	271	284	291	291	288	285	285	285	289	297	297
G 55.0	137	178	217	249	270	283	291	291	288	284	283	283	286	294	294
G 56.0	129	169	211	246	269	283	292	292	288	284	281	281	284	292	292
G 57.0	121	162	205	243	268	284	293	293	289	284	281	281	283	291	291
G 58.0	112	154	200	239	268	284	295	295	292	285	281	281	282	289	289
G 59.0	104	146	193	235	266	285	297	298	294	288	282	282	282	289	289
G 60.0	96	136	186	231	266	287	298	301	297	292	284	284	283	291	291
G 61.0	87	128	178	227	265	287	301	305	301	296	288	288	286	294	294
G 62.0	80	120	170	222	263	288	302	308	306	301	293	293	291	299	299
G 63.0	72	111	163	217	261	289	304	311	311	306	298	298	296	306	306
G 64.0	65	101	154	211	259	290	308	316	316	313	304	304	302	312	312
G 65.0	58	93	143	202	256	293	313	323	324	321	311	311	311	320	320
G 66.0	52	83	132	193	251	295	319	330	332	328	322	322	321	332	332
G 67.0	46	75	120	182	245	294	323	337	339	336	330	330	332	342	342
G 68.0	41	65	108	169	237	291	322	339	343	342	337	337	340	353	353
G 69.0	36	56	97	152	226	283	320	338	346	347	342	342	344	358	358
G 70.0	31	48	85	137	210	271	312	333	345	347	344	344	345	361	361
G 71.0	27	42	71	121	190	257	300	324	339	342	342	342	345	363	363
G 72.0	23	35	59	103	169	238	286	313	328	330	337	337	344	367	367

Luminaire

Code 123.456
Name STREET 123

Measurement

Code 123.456
Name STREET 123

Luminaire Flux	10320 lm		Luminaire Power		77.5 W		Efficacy		133.174 lm/W		Efficiency		99.67%	
Source Flux	10354 lm		Maximum value		631.91 cd/klm		Position		C=162.50 G=68.00		CG Asymmetrical			
Luminous Intensity Table cd/klm Table 4/36														
	C 7.50	C 10.00	C 12.50	C 15.00	C 17.50	C 20.00	C 22.50	C 25.00	C 27.50	C 30.00	C 32.50	C 35.00	C 37.50	
G 0.0	246	246	246	246	246	246	246	246	246	246	246	246	246	
G 1.0	246	246	246	246	246	246	246	246	246	246	246	246	246	
G 2.0	246	246	246	246	246	246	246	246	246	246	246	246	246	
G 3.0	246	246	246	246	246	246	246	247	247	247	247	247	247	
G 4.0	246	246	246	246	246	247	247	247	247	248	248	248	248	
G 5.0	246	246	246	247	247	247	247	248	248	249	249	249	250	
G 6.0	247	247	247	247	247	248	248	249	249	250	250	251	251	
G 7.0	246	247	247	248	248	248	249	250	250	251	251	253	253	
G 8.0	247	247	248	248	249	250	250	251	252	253	254	254	255	
G 9.0	247	248	248	249	250	250	251	253	253	254	256	257	258	
G 10.0	247	248	249	250	251	252	253	254	255	257	258	260	261	
G 11.0	248	249	250	251	252	253	254	256	257	259	261	263	265	
G 12.0	249	250	251	252	253	255	256	258	260	262	265	266	269	
G 13.0	249	250	251	253	254	256	258	260	263	265	267	271	273	
G 14.0	250	251	252	254	256	258	260	263	266	269	272	274	277	
G 15.0	251	253	254	256	258	260	263	266	269	272	275	278	281	
G 16.0	253	254	256	258	260	263	266	269	272	275	279	283	286	
G 17.0	254	256	257	260	262	265	268	272	275	279	283	287	291	
G 18.0	255	257	259	262	265	268	271	275	279	283	287	292	296	
G 19.0	257	258	261	264	267	270	274	278	283	287	291	296	301	
G 20.0	258	260	262	265	269	273	277	282	286	291	295	301	305	
G 21.0	259	261	264	267	271	275	280	285	290	295	300	304	309	
G 22.0	260	262	265	269	273	278	282	287	293	298	304	309	313	
G 23.0	261	263	267	271	275	280	285	290	296	302	307	313	317	
G 24.0	261	265	268	273	277	282	287	293	299	305	310	316	321	
G 25.0	262	265	269	274	279	284	289	296	302	307	313	320	325	
G 26.0	263	267	271	275	280	286	293	298	305	310	317	323	329	
G 27.0	264	268	272	277	283	288	295	301	307	313	319	326	331	
G 28.0	265	269	274	279	285	291	298	304	310	316	322	329	334	
G 29.0	267	272	276	281	287	294	300	306	313	319	325	331	336	
G 30.0	269	274	279	284	290	296	303	309	315	321	327	333	338	
G 31.0	272	277	281	287	293	299	305	311	317	323	329	335	340	
G 32.0	275	280	284	290	297	302	308	314	319	325	331	336	340	
G 33.0	279	283	287	293	300	306	311	316	321	326	333	337	342	
G 34.0	282	286	291	297	302	308	313	318	323	329	334	339	342	
G 35.0	285	289	294	300	306	311	316	321	326	332	336	341	344	
G 36.0	288	292	298	304	308	314	319	324	328	334	339	343	346	
G 37.0	292	296	301	307	312	317	322	328	332	338	342	346	349	
G 38.0	295	299	305	311	316	321	326	332	337	342	345	349	352	
G 39.0	299	304	309	315	321	326	331	337	342	346	350	354	356	
G 40.0	302	309	313	319	325	331	336	342	347	351	355	359	361	
G 41.0	305	312	318	324	330	336	343	348	353	357	361	364	368	
G 42.0	308	315	322	329	334	342	348	355	359	364	367	371	373	
G 43.0	311	319	325	333	340	347	354	362	366	370	373	377	380	
G 44.0	313	321	328	336	345	353	360	368	373	376	379	381	384	
G 45.0	314	323	330	340	350	358	366	374	379	383	384	386	388	
G 46.0	314	323	332	343	354	364	372	380	385	387	389	390	391	
G 47.0	314	324	334	346	358	368	378	386	390	393	393	393	393	
G 48.0	314	324	336	350	362	374	384	392	396	397	396	395	395	
G 49.0	314	324	338	354	367	380	390	398	400	401	399	397	396	
G 50.0	312	324	339	355	371	384	394	403	405	405	402	399	397	
G 51.0	311	324	339	357	373	388	400	407	410	408	405	401	400	
G 52.0	311	325	341	359	377	393	405	412	413	411	408	404	402	
G 53.0	311	326	342	362	379	396	408	415	417	416	412	408	404	
G 54.0	309	326	343	363	382	399	412	421	423	421	416	410	405	
G 55.0	308	326	344	366	387	404	419	428	429	426	420	413	404	
G 56.0	307	326	347	371	395	414	428	437	437	433	425	414	400	
G 57.0	306	328	351	378	404	425	439	448	446	439	427	411	393	
G 58.0	307	332	357	387	415	437	452	458	454	444	427	406	384	
G 59.0	308	336	365	396	425	450	466	468	462	447	425	399	371	
G 60.0	311	340	371	406	436	463	478	480	472	450	420	387	355	
G 61.0	315	347	378	414	448	480	495	498	480	450	413	375	337	
G 62.0	321	351	384	424	464	501	520	515	489	448	403	358	312	
G 63.0	327	358	394	441	488	529	544	532	494	441	390	338	290	
G 64.0	334	366	407	464	521	559	568	546	496	430	369	310	262	
G 65.0	343	376	426	489	550	584	583	549	488	414	345	284	234	
G 66.0	353	394	453	525	578	598	588	545	476	393	316	248	199	
G 67.0	367	413	484	555	598	609	591	533	454	358	275	212	166	
G 68.0	384	441	514	574	609	615	578	504	412	310	236	174	129	
G 69.0	396	460	532	586	615	603	548	455	359	261	195	137	106	
G 70.0	402	465	533	585	603	569	486	392	301	214	152	106	78	
G 71.0	401	457	518	559	562	502	412	324	236	164	120	80	61	
G 72.0	399	444	494	513	489	419	332	252	184	129	90	60	49	

Luminaire

Code 123.456
Name STREET 123

Measurement

Code 123.456
Name STREET 123

Luminaire Flux		10320 lm		Luminaire Power		77.5 W		Efficacy		133.174 lm/W		Efficiency		99.67%	
Source Flux		10354 lm		Maximum value		631.91 cd/klm		Position		C=162.50 G=68.00		CG		Asymmetrical	
Luminous Intensity Table cd/klm Table 5/36															
	C 40.00	C 42.50	C 45.00	C 47.50	C 50.00	C 52.50	C 55.00	C 57.50	C 60.00	C 62.50	C 65.00	C 67.50	C 70.00		
G 0.0	246	246	246	246	246	246	246	246	246	246	246	246	246	246	246
G 1.0	246	246	246	246	246	246	246	246	246	246	246	246	246	246	246
G 2.0	247	246	247	247	247	247	247	247	247	247	247	247	247	247	247
G 3.0	247	247	248	248	248	248	248	248	249	248	249	249	249	249	249
G 4.0	248	249	249	249	250	250	250	250	251	251	251	251	251	251	251
G 5.0	250	250	251	251	251	252	253	253	253	253	254	254	255	255	255
G 6.0	252	252	253	253	254	255	255	256	257	257	258	258	259	259	259
G 7.0	254	255	256	256	257	258	259	260	261	261	262	263	264	264	264
G 8.0	257	258	259	260	261	262	263	264	265	267	267	268	269	269	269
G 9.0	260	261	263	264	265	267	268	269	271	272	273	274	275	275	275
G 10.0	263	265	267	268	270	272	274	274	277	278	279	280	282	282	282
G 11.0	267	269	271	273	275	277	279	280	283	284	286	287	289	289	289
G 12.0	271	274	276	278	281	283	285	287	290	291	294	295	297	297	297
G 13.0	275	278	281	284	286	289	292	293	296	299	301	304	305	305	305
G 14.0	280	283	286	290	292	295	298	301	304	307	309	311	313	313	313
G 15.0	285	288	292	295	299	301	305	308	311	314	317	319	321	321	321
G 16.0	290	294	298	301	304	308	312	315	318	321	324	326	329	329	329
G 17.0	295	299	303	307	310	314	318	321	326	328	331	334	337	337	337
G 18.0	300	304	309	312	316	320	325	328	332	335	339	341	345	345	345
G 19.0	305	310	313	317	322	326	331	335	339	342	346	348	352	352	352
G 20.0	310	314	319	323	328	332	336	341	345	348	351	354	357	357	357
G 21.0	314	319	324	328	333	338	342	347	350	354	357	360	362	362	362
G 22.0	318	323	329	333	338	343	348	352	356	359	361	364	366	366	366
G 23.0	323	327	333	338	343	347	352	356	359	362	365	367	369	369	369
G 24.0	326	332	337	343	348	352	356	359	362	365	367	369	370	370	370
G 25.0	330	336	341	346	350	355	358	361	364	366	367	369	370	370	370
G 26.0	334	339	344	349	354	357	360	362	364	366	367	368	369	369	369
G 27.0	337	343	347	351	355	358	360	363	364	366	367	368	368	368	368
G 28.0	339	345	349	353	356	358	360	362	363	364	366	367	367	367	367
G 29.0	342	347	351	353	356	358	360	361	362	364	365	365	365	365	365
G 30.0	343	347	351	353	355	357	359	360	361	362	363	364	364	364	364
G 31.0	344	348	351	353	354	357	357	359	360	361	361	362	362	362	362
G 32.0	344	348	350	352	353	355	357	357	359	359	360	361	361	361	361
G 33.0	345	348	350	351	352	354	356	356	358	358	359	359	360	360	360
G 34.0	346	348	350	351	352	354	355	356	357	358	358	358	358	358	358
G 35.0	346	348	350	352	353	354	356	357	358	358	358	357	357	357	357
G 36.0	348	351	352	353	355	356	358	359	359	359	359	358	358	358	358
G 37.0	351	353	355	357	358	360	362	363	363	362	363	361	362	362	362
G 38.0	355	357	359	361	362	364	366	367	367	368	368	368	369	369	369
G 39.0	359	362	364	366	368	369	372	373	374	375	375	375	376	376	376
G 40.0	365	366	370	371	374	375	378	381	382	382	382	381	380	380	380
G 41.0	371	373	375	377	380	382	385	388	389	389	387	385	384	384	384
G 42.0	377	378	382	384	387	390	392	393	395	394	392	391	389	389	389
G 43.0	382	384	388	391	393	395	397	398	400	399	398	396	393	393	393
G 44.0	387	390	392	396	398	400	401	403	404	404	401	398	392	392	392
G 45.0	390	393	396	399	402	403	405	406	406	404	399	394	388	388	388
G 46.0	393	396	398	401	404	406	406	406	404	399	394	386	379	379	379
G 47.0	395	397	399	403	405	406	404	401	396	391	382	375	366	366	366
G 48.0	396	398	400	404	404	402	398	392	385	378	368	360	347	347	347
G 49.0	396	399	401	402	400	395	387	380	370	362	349	336	324	324	324
G 50.0	398	400	400	399	393	386	375	367	353	342	324	311	297	297	297
G 51.0	399	400	398	392	384	374	361	348	333	320	301	285	269	269	269
G 52.0	400	399	393	384	374	361	345	329	314	295	278	261	247	247	247
G 53.0	400	395	386	375	362	346	327	309	290	272	253	238	223	223	223
G 54.0	398	389	378	363	344	326	306	286	268	249	232	217	202	202	202
G 55.0	394	381	366	347	329	308	286	266	245	226	207	195	181	181	181
G 56.0	386	369	349	330	307	284	260	242	218	202	185	174	163	163	163
G 57.0	375	352	329	306	284	261	237	216	195	177	163	153	146	146	146
G 58.0	360	333	305	281	255	235	208	186	169	156	145	141	133	133	133
G 59.0	340	313	282	255	227	207	179	164	148	139	133	130	126	126	126
G 60.0	322	287	254	228	200	177	155	141	132	126	123	120	117	117	117
G 61.0	297	265	231	201	175	153	135	127	120	117	114	112	109	109	109
G 62.0	275	236	201	172	150	132	120	114	110	108	106	104	102	102	102
G 63.0	247	209	175	149	128	116	109	104	100	98	97	97	94	94	94
G 64.0	218	180	148	125	111	104	97	95	91	91	89	88	86	86	86
G 65.0	186	152	124	107	97	93	88	85	83	82	82	81	78	78	78
G 66.0	157	125	103	92	85	81	78	77	75	76	73	72	70	70	70
G 67.0	124	100	87	80	74	71	69	69	68	67	66	64	62	62	62
G 68.0	99	83	73	69	65	63	61	60	59	58	56	55	53	53	53
G 69.0	79	69	62	59	56	54	52	52	51	50	48	46	44	44	44
G 70.0	65	59	53	50	48	47	46	44	42	41	39	38	36	36	36
G 71.0	52	49	44	43	41	40	38	36	35	33	32	31	29	29	29
G 72.0	45	41	38	37	35	34	31	30	28	27	26	25	25	25	25

Luminaire

Code 123.456
Name STREET 123

Measurement

Code 123.456
Name STREET 123

Luminaire Flux		10320 lm		Luminaire Power		77.5 W		Efficacy		133.174 lm/W		Efficiency		99.67%	
Source Flux		10354 lm		Maximum value		631.91 cd/klm		Position		C=162.50 G=68.00		CG Asymmetrical			
Luminous Intensity Table cd/klm Table 6/36															
	C 72.50	C 75.00	C 77.50	C 80.00	C 82.50	C 85.00	C 87.50	C 90.00	C 92.50	C 95.00	C 97.50	C 100.00	C 102.50		
G 0.0	246	246	246	246	246	246	246	246	246	246	246	246	246	246	246
G 1.0	246	246	246	246	247	247	247	247	247	247	247	247	247	247	247
G 2.0	247	248	248	248	248	248	248	248	248	248	248	248	248	248	248
G 3.0	249	249	250	249	249	250	250	250	250	250	250	250	250	250	250
G 4.0	252	252	252	252	252	252	252	252	252	252	252	252	252	252	252
G 5.0	255	255	255	256	256	256	256	256	256	256	256	256	256	256	256
G 6.0	259	259	260	260	260	260	260	261	261	260	260	260	260	260	260
G 7.0	264	265	265	265	266	266	266	266	266	267	266	266	266	265	265
G 8.0	270	270	271	272	272	273	272	272	273	273	272	272	272	271	271
G 9.0	275	277	278	278	278	279	279	279	279	280	279	278	278	278	278
G 10.0	283	284	284	285	285	286	286	287	287	287	286	286	286	286	286
G 11.0	290	291	292	293	293	294	295	295	294	295	294	294	293	293	293
G 12.0	298	299	301	302	303	303	303	304	304	303	303	303	302	302	302
G 13.0	306	308	309	310	311	312	312	312	312	313	311	311	310	310	310
G 14.0	315	317	317	319	320	320	320	321	321	321	320	320	319	319	319
G 15.0	323	324	326	327	328	329	329	329	329	329	329	328	327	327	327
G 16.0	331	332	334	336	335	338	337	338	338	337	337	336	335	335	335
G 17.0	338	340	342	343	344	345	345	346	346	345	345	345	345	343	343
G 18.0	346	349	348	352	352	353	353	354	353	354	352	352	351	351	351
G 19.0	353	355	356	358	359	359	360	360	360	359	359	359	357	357	357
G 20.0	359	360	362	363	364	365	365	365	365	365	364	364	363	363	363
G 21.0	364	365	366	367	368	368	369	369	369	369	369	368	367	367	367
G 22.0	368	369	370	371	371	371	371	372	372	372	371	371	371	371	371
G 23.0	370	371	372	372	372	372	372	372	372	372	372	372	372	372	372
G 24.0	370	371	372	372	372	372	372	372	372	372	372	372	372	372	372
G 25.0	371	370	371	371	371	371	371	371	371	371	371	371	371	371	371
G 26.0	370	370	370	370	370	370	370	370	370	370	370	370	370	370	370
G 27.0	369	369	369	369	370	369	369	369	369	369	369	369	369	369	369
G 28.0	368	368	368	369	368	368	368	368	368	368	368	368	368	369	369
G 29.0	366	366	367	367	367	367	367	367	367	367	367	368	368	368	368
G 30.0	365	365	366	366	366	367	367	367	367	367	367	367	368	368	368
G 31.0	363	364	365	365	366	366	367	367	367	368	368	368	368	368	368
G 32.0	362	363	364	364	365	366	367	368	368	368	368	367	367	367	367
G 33.0	361	362	362	363	365	365	366	367	367	367	367	366	366	366	366
G 34.0	359	360	360	361	362	363	363	364	364	364	364	364	365	365	365
G 35.0	357	358	359	359	360	361	361	362	362	362	362	361	362	362	362
G 36.0	358	359	359	361	361	362	363	363	363	363	362	363	363	363	363
G 37.0	363	364	364	367	368	369	369	370	369	369	368	369	369	369	369
G 38.0	370	371	373	373	374	374	374	375	374	374	374	374	374	376	376
G 39.0	376	376	376	375	374	374	374	374	373	373	374	375	377	377	377
G 40.0	379	378	377	376	375	374	374	374	373	374	375	376	378	378	378
G 41.0	382	382	381	380	378	377	376	376	376	376	378	379	381	381	381
G 42.0	388	386	384	382	380	379	378	377	378	378	379	381	384	384	384
G 43.0	390	387	384	381	378	376	374	374	374	375	377	379	383	383	383
G 44.0	388	384	380	376	373	371	369	369	369	370	371	374	378	378	378
G 45.0	383	377	373	369	365	362	361	360	360	360	364	366	370	370	370
G 46.0	373	369	363	358	352	349	349	347	347	348	351	355	358	358	358
G 47.0	359	352	346	342	337	332	330	330	329	330	332	335	340	340	340
G 48.0	339	330	325	314	313	306	306	300	304	306	309	311	318	318	318
G 49.0	313	302	294	284	279	274	270	270	271	271	273	277	286	286	286
G 50.0	285	272	263	252	248	239	242	237	239	238	245	246	255	255	255
G 51.0	257	243	234	226	216	213	210	211	210	209	212	218	227	227	227
G 52.0	232	220	207	201	192	188	185	180	183	185	189	197	201	201	201
G 53.0	211	198	188	176	171	166	163	160	162	162	168	173	182	182	182
G 54.0	187	177	165	157	151	146	144	142	141	146	149	155	161	161	161
G 55.0	170	159	150	141	135	130	129	127	128	129	133	138	146	146	146
G 56.0	152	142	136	128	122	118	118	116	117	119	122	126	132	132	132
G 57.0	138	131	125	119	113	110	109	108	109	110	113	118	123	123	123
G 58.0	129	122	117	111	107	103	101	100	101	102	106	109	114	114	114
G 59.0	121	115	110	104	100	97	95	94	96	96	98	103	107	107	107
G 60.0	113	109	104	98	94	91	89	88	88	90	93	97	101	101	101
G 61.0	106	102	97	92	88	85	83	82	83	84	87	91	96	96	96
G 62.0	99	94	90	86	82	79	78	77	78	79	81	84	88	88	88
G 63.0	91	87	83	79	76	74	72	71	71	72	75	78	81	81	81
G 64.0	83	80	76	72	69	67	65	65	65	66	68	72	74	74	74
G 65.0	75	72	69	66	63	61	60	58	59	60	63	65	67	67	67
G 66.0	67	65	63	59	57	55	54	53	53	54	56	57	60	60	60
G 67.0	60	56	56	53	49	49	48	47	47	48	49	51	53	53	53
G 68.0	52	49	47	45	43	41	41	40	40	40	42	44	45	45	45
G 69.0	44	41	40	37	35	33	33	32	33	32	34	35	37	37	37
G 70.0	35	33	32	30	29	28	27	27	27	27	28	29	31	31	31
G 71.0	30	28	27	24	22	21	21	20	20	21	21	23	25	25	25
G 72.0	24	22	20	18	18	17	17	16	17	16	17	17	19	19	19

Luminaire

Code 123.456
Name STREET 123

Measurement

Code 123.456
Name STREET 123

Luminaire Flux		10320 lm		Luminaire Power		77.5 W		Efficacy		133.174 lm/W		Efficiency		99.67%	
Source Flux		10354 lm		Maximum value		631.91 cd/klm		Position		C=162.50 G=68.00		CG		Asymmetrical	
Luminous Intensity Table cd/klm Table 7/36															
	C 105.00	C 107.50	C 110.00	C 112.50	C 115.00	C 117.50	C 120.00	C 122.50	C 125.00	C 127.50	C 130.00	C 132.50	C 135.00		
G 0.0	246	246	246	246	246	246	246	246	246	246	246	246	246	246	246
G 1.0	247	247	247	247	247	247	247	247	246	246	247	246	246	246	246
G 2.0	248	248	248	248	248	248	248	248	247	247	247	247	247	247	247
G 3.0	250	249	249	249	249	249	249	249	249	249	249	249	248	248	248
G 4.0	252	252	252	252	251	251	251	251	251	250	250	250	250	250	250
G 5.0	255	255	255	255	254	254	254	253	253	253	253	252	252	252	252
G 6.0	260	260	259	259	258	258	257	257	256	256	255	254	254	254	254
G 7.0	266	265	265	264	264	262	262	261	260	259	259	257	257	257	257
G 8.0	271	270	270	269	268	267	267	266	265	263	263	262	261	261	261
G 9.0	278	276	276	275	274	273	273	271	270	269	268	266	266	264	264
G 10.0	285	283	282	282	281	280	278	277	275	273	272	270	269	269	269
G 11.0	292	292	290	289	288	286	284	282	281	279	278	275	274	274	274
G 12.0	301	300	299	297	295	293	291	289	287	285	283	281	278	278	278
G 13.0	309	308	307	305	303	300	300	296	295	292	289	286	284	284	284
G 14.0	318	316	315	313	311	309	306	304	301	298	295	292	289	289	289
G 15.0	326	324	323	321	320	316	314	311	308	305	302	298	295	295	295
G 16.0	334	332	330	329	326	323	321	318	315	311	309	304	301	301	301
G 17.0	341	340	338	336	333	330	327	324	321	317	314	310	306	306	306
G 18.0	350	348	346	343	341	337	334	331	327	323	320	316	312	312	312
G 19.0	356	355	353	350	348	344	341	337	334	330	326	322	318	318	318
G 20.0	362	360	359	356	354	350	348	344	340	336	332	328	323	323	323
G 21.0	366	365	364	361	360	356	354	350	346	342	338	333	328	328	328
G 22.0	370	369	367	366	364	361	358	354	351	347	343	338	333	333	333
G 23.0	371	370	370	369	366	364	362	359	355	352	348	342	338	338	338
G 24.0	371	371	371	370	368	366	364	362	359	355	352	347	342	342	342
G 25.0	371	371	370	370	369	368	366	364	361	359	355	351	346	346	346
G 26.0	370	370	370	369	368	367	366	365	363	360	357	353	350	350	350
G 27.0	369	370	370	369	368	367	366	365	363	361	359	356	353	353	353
G 28.0	369	369	369	369	368	367	365	364	363	361	359	357	354	354	354
G 29.0	368	369	368	368	367	366	365	364	362	361	359	357	355	355	355
G 30.0	368	368	368	367	366	365	364	363	361	360	359	358	355	355	355
G 31.0	368	367	367	366	365	364	362	361	360	359	358	357	355	355	355
G 32.0	367	367	366	365	364	363	362	360	359	358	357	356	355	355	355
G 33.0	366	366	365	364	363	362	361	360	359	357	356	355	355	355	355
G 34.0	364	364	364	364	364	363	362	360	359	357	357	356	355	355	355
G 35.0	363	363	364	364	364	364	364	363	361	359	358	357	356	356	356
G 36.0	364	364	365	365	366	367	367	366	365	363	361	360	359	359	359
G 37.0	369	368	368	368	369	370	370	370	368	367	365	363	363	363	363
G 38.0	376	375	375	375	375	375	375	373	373	372	370	368	367	367	367
G 39.0	379	380	382	382	383	382	381	379	378	376	375	373	372	372	372
G 40.0	381	383	385	386	389	390	389	387	385	383	380	378	377	377	377
G 41.0	384	386	387	390	393	395	395	394	392	390	388	384	382	382	382
G 42.0	387	389	391	395	397	399	400	399	398	397	395	391	389	389	389
G 43.0	387	391	395	398	402	404	404	404	403	402	400	397	395	395	395
G 44.0	382	387	392	398	403	407	408	407	407	405	404	401	399	399	399
G 45.0	374	380	386	393	398	405	408	409	410	408	406	404	402	402	402
G 46.0	363	371	375	382	390	398	403	407	409	410	408	406	403	403	403
G 47.0	345	353	360	370	378	387	394	401	404	409	409	408	404	404	404
G 48.0	324	332	341	353	362	372	381	390	397	404	407	408	406	406	406
G 49.0	296	305	316	327	342	354	365	377	387	395	402	407	407	407	407
G 50.0	264	275	284	301	317	334	348	363	372	385	395	402	406	406	406
G 51.0	234	245	257	277	290	309	327	343	358	372	385	395	402	402	402
G 52.0	212	224	236	250	268	288	303	323	340	359	374	386	397	397	397
G 53.0	190	200	212	228	244	264	283	303	320	343	358	376	388	388	388
G 54.0	170	182	194	206	223	241	257	278	302	323	341	362	380	380	380
G 55.0	154	160	169	185	198	215	236	257	279	300	323	346	364	364	364
G 56.0	138	145	153	164	175	192	208	231	253	278	300	325	347	347	347
G 57.0	126	132	137	145	156	168	183	205	223	251	275	300	326	326	326
G 58.0	118	123	126	132	138	147	157	176	196	226	248	274	300	300	300
G 59.0	111	115	119	123	126	132	140	154	171	195	220	249	277	277	277
G 60.0	105	108	111	115	117	122	126	134	146	168	188	219	250	250	250
G 61.0	98	102	104	108	109	112	116	120	130	144	163	191	221	221	221
G 62.0	92	96	97	100	102	104	105	109	115	124	139	163	192	192	192
G 63.0	85	88	90	94	94	95	97	100	104	111	120	138	164	164	164
G 64.0	76	80	82	85	86	86	87	91	92	98	104	115	135	135	135
G 65.0	69	72	74	76	78	79	79	81	83	87	92	100	113	113	113
G 66.0	61	64	66	68	68	71	71	71	73	77	80	87	95	95	95
G 67.0	54	56	56	60	61	62	63	64	65	66	69	75	79	79	79
G 68.0	46	47	49	52	52	53	54	56	56	58	59	63	68	68	68
G 69.0	39	40	41	42	44	45	46	48	49	50	51	54	56	56	56
G 70.0	31	33	33	34	35	37	38	40	41	43	44	46	48	48	48
G 71.0	26	27	27	28	28	30	31	33	35	37	38	40	41	41	41
G 72.0	20	22	23	24	24	25	25	28	29	32	33	35	35	35	35

Luminaire

Code 123.456
Name STREET 123

Measurement

Code 123.456
Name STREET 123

Luminaire Flux		10320 lm		Luminaire Power		77.5 W		Efficacy		133.174 lm/W		Efficiency		99.67%	
Source Flux		10354 lm		Maximum value		631.91 cd/klm		Position		C=162.50 G=68.00		CG		Asymmetrical	
Luminous Intensity Table cd/klm Table 8/36															
	C 137.50	C 140.00	C 142.50	C 145.00	C 147.50	C 150.00	C 152.50	C 155.00	C 157.50	C 160.00	C 162.50	C 165.00	C 167.50		
G 0.0	246	246	246	246	246	246	246	246	246	246	246	246	246	246	246
G 1.0	246	246	246	246	246	246	246	246	246	246	246	246	246	246	246
G 2.0	247	247	247	247	246	247	246	246	246	246	246	246	246	246	246
G 3.0	248	248	248	247	247	247	247	247	247	247	246	246	246	246	246
G 4.0	249	249	249	248	248	248	248	247	247	247	247	247	247	247	246
G 5.0	251	251	250	250	249	249	249	248	248	248	247	247	247	247	247
G 6.0	253	253	252	252	251	250	250	249	249	249	248	248	248	247	247
G 7.0	256	255	254	254	252	252	251	251	250	249	249	249	248	248	248
G 8.0	259	259	257	256	255	254	253	252	251	250	250	250	249	248	248
G 9.0	264	262	260	259	257	256	255	254	252	252	251	250	250	249	248
G 10.0	267	266	264	262	260	259	257	256	254	253	252	251	250	249	248
G 11.0	271	270	267	266	264	262	260	257	256	255	253	252	250	249	248
G 12.0	275	274	271	269	267	265	262	260	258	256	254	253	251	250	248
G 13.0	281	278	276	273	270	268	265	263	260	258	256	254	253	251	249
G 14.0	286	283	280	277	274	271	268	266	263	260	258	256	254	252	250
G 15.0	292	288	284	281	277	275	271	269	266	263	260	258	256	254	252
G 16.0	297	293	289	285	282	278	274	271	268	266	262	260	257	255	253
G 17.0	303	298	294	290	286	282	278	275	271	268	265	262	259	256	253
G 18.0	308	304	299	295	290	286	282	278	274	271	267	264	261	258	255
G 19.0	313	309	304	300	295	290	286	282	277	273	269	266	263	260	257
G 20.0	318	314	309	304	299	294	289	285	280	276	272	268	264	261	258
G 21.0	323	319	313	309	304	299	293	288	283	278	273	270	266	263	260
G 22.0	328	323	318	313	308	303	297	291	285	280	276	272	268	264	261
G 23.0	333	328	322	317	312	306	300	294	288	283	278	273	269	265	262
G 24.0	338	332	327	321	315	310	304	297	291	285	280	275	271	267	264
G 25.0	341	336	331	325	319	313	307	301	294	288	282	277	272	268	265
G 26.0	345	340	335	329	323	316	310	304	298	291	285	279	274	270	266
G 27.0	348	343	338	333	326	320	313	307	301	294	287	281	276	272	268
G 28.0	351	346	341	335	329	323	316	311	304	297	290	284	278	274	270
G 29.0	352	349	344	338	332	326	320	313	307	301	294	287	281	277	273
G 30.0	353	350	346	341	335	329	323	317	310	304	297	291	284	279	275
G 31.0	354	351	347	343	337	332	326	320	313	307	301	295	288	283	279
G 32.0	353	351	348	345	340	334	329	323	317	311	304	298	292	287	283
G 33.0	354	352	350	346	343	337	332	325	320	315	308	302	296	291	287
G 34.0	354	353	351	349	345	340	334	328	322	318	312	306	300	295	291
G 35.0	356	355	354	351	347	343	337	331	326	322	316	311	305	300	296
G 36.0	358	357	356	354	351	346	341	335	330	325	319	315	309	304	300
G 37.0	361	361	359	357	354	350	345	340	335	330	324	319	313	308	304
G 38.0	365	365	363	361	358	354	350	345	339	334	329	323	317	312	308
G 39.0	370	370	368	366	362	359	355	350	344	339	333	328	321	316	312
G 40.0	377	375	373	371	368	365	361	356	350	344	337	332	324	319	315
G 41.0	382	380	378	376	373	370	367	361	355	349	342	335	328	322	318
G 42.0	387	386	384	381	378	376	372	368	361	354	346	339	331	325	321
G 43.0	392	390	388	387	384	382	379	374	367	359	351	342	333	327	323
G 44.0	396	393	391	390	388	386	384	379	372	364	355	345	334	328	324
G 45.0	398	395	394	393	392	391	389	385	377	369	358	347	335	329	325
G 46.0	400	397	396	395	395	394	393	389	381	373	361	349	336	330	326
G 47.0	401	398	397	397	397	397	396	393	386	377	364	351	337	331	327
G 48.0	402	399	398	399	400	401	400	397	390	381	367	353	338	332	328
G 49.0	404	401	400	401	403	404	405	402	395	385	370	355	339	333	329
G 50.0	406	404	403	404	406	408	409	406	398	388	374	357	340	334	330
G 51.0	406	406	405	407	409	412	413	411	404	392	377	358	341	335	331
G 52.0	404	407	408	410	413	416	418	415	408	396	380	361	342	336	332
G 53.0	399	406	410	415	418	421	423	420	413	401	383	363	344	338	334
G 54.0	392	404	412	418	424	428	430	428	419	406	388	367	346	340	336
G 55.0	384	399	411	422	430	436	440	438	428	414	394	372	348	342	338
G 56.0	372	391	408	423	435	444	450	449	439	425	405	379	352	346	342
G 57.0	354	378	400	420	438	451	459	461	454	437	414	388	358	352	348
G 58.0	332	360	390	413	437	456	468	473	467	451	426	396	364	358	354
G 59.0	307	340	375	405	434	459	478	484	481	464	437	404	371	365	361
G 60.0	283	319	355	393	428	460	487	500	495	481	449	413	376	370	366
G 61.0	256	293	334	377	418	458	495	518	520	502	464	422	382	376	372
G 62.0	227	264	310	355	404	453	500	533	542	527	490	439	392	386	382
G 63.0	197	233	281	332	386	444	503	545	565	556	519	466	405	400	396
G 64.0	164	203	247	299	362	432	502	555	581	580	548	492	428	423	419
G 65.0	134	169	217	267	331	404	488	556	596	602	577	522	456	451	447
G 66.0	111	135	181	229	291	372	463	545	599	620	605	551	482	477	473
G 67.0	90	109	143	189	253	328	427	520	591	624	624	584	513	508	504
G 68.0	75	88	111	151	209	286	371	468	562	619	632	604	538	533	529
G 69.0	63	69	87	118	168	231	315	412	508	579	623	609	551	546	542
G 70.0	53	57	67	89	128	182	257	344	441	522	584	589	545	540	536
G 71.0	45	47	53	66	96	138	206	269	356	444	518	538	524	519	515
G 72.0	38	40	43	50	72	104	150	202	276	364	446	478	484	479	475

Luminaire

Code 123.456
Name STREET 123

Measurement

Code 123.456
Name STREET 123

Luminaire Flux		10320 lm		Luminaire Power		77.5 W		Efficacy		133.174 lm/W		Efficiency		99.67%		
Source Flux		10354 lm		Maximum value		631.91 cd/klm		Position		C=162.50 G=68.00		CG Asymmetrical				
Luminous Intensity Table cd/klm														Table 9/36		
		C 170.00	C 172.50	C 175.00	C 177.50	C 180.00	C 182.50	C 185.00	C 187.50	C 190.00	C 192.50	C 195.00	C 197.50	C 200.00		
G 0.0	246	246	246	246	246	246	246	246	246	246	246	246	246	246	246	
G 1.0	246	246	246	246	246	245	245	246	245	245	245	245	245	245	245	
G 2.0	246	246	246	246	246	245	245	245	245	245	245	245	245	245	245	
G 3.0	246	246	246	246	246	246	246	245	245	245	245	245	245	245	245	
G 4.0	246	246	246	246	246	246	246	246	245	245	245	245	245	245	245	
G 5.0	246	246	246	246	246	246	246	246	245	246	246	245	245	246	245	
G 6.0	247	247	246	246	246	246	246	246	246	246	246	245	245	245	246	
G 7.0	247	247	247	247	246	246	246	246	246	246	246	246	246	246	246	
G 8.0	248	247	247	247	247	247	246	246	246	246	246	246	246	246	246	
G 9.0	248	248	247	247	246	246	246	246	246	246	246	246	246	246	246	
G 10.0	249	248	247	247	246	247	246	246	246	246	246	246	246	246	247	
G 11.0	250	249	248	247	247	247	247	246	246	246	246	246	246	247	247	
G 12.0	251	249	248	248	248	248	247	247	246	247	247	247	247	247	248	
G 13.0	251	250	249	248	248	248	248	247	247	247	248	248	249	249	249	
G 14.0	253	251	250	249	249	249	249	248	248	248	248	249	249	249	250	
G 15.0	254	252	251	250	250	250	249	249	249	249	249	250	251	251	251	
G 16.0	256	254	252	251	251	250	250	250	250	250	250	251	252	252	253	
G 17.0	257	255	254	252	252	251	250	250	251	251	251	252	253	253	253	
G 18.0	259	257	255	253	253	252	252	251	251	251	252	253	254	254	254	
G 19.0	260	258	256	254	254	253	252	252	252	253	253	254	255	255	255	
G 20.0	262	259	257	255	254	253	253	253	253	253	254	255	255	255	256	
G 21.0	263	260	258	256	255	254	253	253	253	253	254	255	256	256	257	
G 22.0	264	261	259	257	255	254	253	253	253	254	254	255	256	256	257	
G 23.0	265	262	259	257	255	254	253	253	253	254	255	256	256	256	257	
G 24.0	267	263	260	258	256	254	254	254	254	254	255	256	257	257	257	
G 25.0	268	264	261	258	256	255	254	254	254	255	255	256	257	257	258	
G 26.0	269	265	262	259	257	256	255	255	255	255	255	256	257	257	258	
G 27.0	271	267	263	260	259	257	256	255	255	255	256	256	257	257	258	
G 28.0	273	269	265	262	260	258	257	256	256	256	256	257	257	257	258	
G 29.0	276	271	267	264	262	260	259	257	257	257	257	257	257	257	258	
G 30.0	279	274	270	266	264	263	261	260	259	258	258	258	258	258	258	
G 31.0	282	278	273	269	267	265	263	261	260	260	259	259	259	258	258	
G 32.0	286	281	277	272	271	268	266	264	262	262	260	259	259	258	258	
G 33.0	290	285	281	276	274	271	269	267	265	263	262	261	259	259	259	
G 34.0	295	289	284	280	277	274	271	269	267	266	264	262	259	259	259	
G 35.0	299	293	288	283	280	278	274	271	269	268	266	263	260	260	260	
G 36.0	303	297	291	286	283	280	277	274	271	270	267	264	260	260	260	
G 37.0	307	300	294	288	285	283	279	276	274	272	269	266	261	261	261	
G 38.0	311	304	297	291	288	285	281	278	276	274	271	267	261	261	261	
G 39.0	315	308	301	294	291	287	283	281	279	277	273	269	261	261	261	
G 40.0	318	310	304	298	293	290	286	283	281	279	275	270	261	261	261	
G 41.0	320	312	306	299	296	292	288	285	283	281	277	271	261	261	261	
G 42.0	322	314	308	302	298	294	290	287	285	282	278	271	260	260	260	
G 43.0	324	316	309	303	299	295	291	289	286	284	279	272	259	259	259	
G 44.0	325	317	309	304	300	296	292	290	288	285	280	271	257	257	257	
G 45.0	325	316	309	305	300	296	293	291	290	286	281	271	255	255	255	
G 46.0	325	316	309	304	299	296	293	293	291	288	281	270	253	253	253	
G 47.0	325	315	307	302	297	295	294	293	293	288	282	269	250	250	250	
G 48.0	325	314	306	299	295	293	293	294	293	289	281	268	248	248	248	
G 49.0	325	313	303	296	292	290	292	293	293	289	280	266	245	245	245	
G 50.0	324	311	300	293	289	288	290	292	292	288	279	263	241	241	241	
G 51.0	325	310	298	290	286	286	289	292	292	288	277	260	237	237	237	
G 52.0	325	309	296	288	283	284	288	292	292	287	276	257	232	232	232	
G 53.0	326	307	294	286	282	283	288	292	292	286	273	254	228	228	228	
G 54.0	327	307	293	285	281	283	288	292	293	286	272	252	223	223	223	
G 55.0	327	307	292	283	280	283	289	293	294	287	271	249	217	217	217	
G 56.0	328	306	290	282	280	284	290	295	296	287	270	247	212	212	212	
G 57.0	331	306	290	282	281	286	293	298	298	288	269	244	207	207	207	
G 58.0	336	309	290	282	283	289	297	301	300	289	269	241	201	201	201	
G 59.0	340	311	292	283	286	293	301	305	302	290	269	237	196	196	196	
G 60.0	345	314	295	286	291	298	306	310	305	291	268	233	189	189	189	
G 61.0	350	319	299	291	296	304	312	315	307	291	266	229	181	181	181	
G 62.0	356	325	305	295	302	310	317	318	309	290	263	224	172	172	172	
G 63.0	363	332	310	302	309	316	323	322	311	291	261	219	163	163	163	
G 64.0	375	340	319	310	318	325	330	329	315	293	258	212	153	153	153	
G 65.0	394	351	329	321	330	336	340	338	322	296	256	204	142	142	142	
G 66.0	419	369	342	333	341	346	348	344	324	296	252	195	130	130	130	
G 67.0	440	384	351	340	347	354	354	347	324	292	245	183	118	118	118	
G 68.0	459	397	362	345	354	360	358	347	322	289	238	168	106	106	106	
G 69.0	472	402	367	350	357	364	362	345	317	280	223	151	94	94	94	
G 70.0	474	407	369	355	358	363	359	337	309	267	206	132	79	79	79	
G 71.0	464	410	374	356	351	353	351	325	296	248	182	113	68	68	68	
G 72.0	448	411	382	354	345	339	334	304	275	226	158	96	58	58	58	

Luminaire

Code 123.456
Name STREET 123

Measurement

Code 123.456
Name STREET 123

Luminaire Flux		10320 lm		Luminaire Power		77.5 W		Efficacy		133.174 lm/W		Efficiency		99.67%	
Source Flux		10354 lm		Maximum value		631.91 cd/klm		Position		C=162.50 G=68.00		CG Asymmetrical			
Luminous Intensity Table cd/klm Table 10/36															
	C 202.50	C 205.00	C 207.50	C 210.00	C 212.50	C 215.00	C 217.50	C 220.00	C 222.50	C 225.00	C 227.50	C 230.00	C 232.50		
G 0.0	246	246	246	246	246	246	246	246	246	246	246	246	246	246	246
G 1.0	245	245	245	245	245	245	245	245	245	245	245	245	245	245	245
G 2.0	245	245	245	245	245	245	245	245	245	245	245	245	245	245	245
G 3.0	245	245	245	245	245	245	245	245	245	245	246	246	246	246	246
G 4.0	245	245	245	245	246	246	246	246	246	246	246	246	247	247	247
G 5.0	246	246	246	246	246	246	246	246	247	247	247	248	248	248	248
G 6.0	246	246	246	246	247	247	247	248	248	249	249	249	249	250	250
G 7.0	246	246	247	247	248	248	248	249	249	250	250	250	251	252	252
G 8.0	246	247	247	248	248	249	249	250	251	252	252	252	253	254	254
G 9.0	247	247	248	248	249	250	251	251	252	252	253	254	255	256	256
G 10.0	247	248	249	249	250	251	252	252	253	254	254	255	256	257	257
G 11.0	248	249	249	250	251	252	253	254	255	255	256	257	258	259	259
G 12.0	249	249	250	251	252	252	253	254	255	256	257	258	259	260	260
G 13.0	250	250	251	251	252	253	254	255	256	257	258	259	260	261	261
G 14.0	251	251	252	253	253	254	254	255	256	257	258	259	260	261	261
G 15.0	252	252	253	254	254	255	255	256	257	257	258	259	260	261	261
G 16.0	253	253	254	254	255	255	256	256	257	257	258	259	260	261	261
G 17.0	254	254	255	255	256	256	256	256	257	257	258	259	260	261	261
G 18.0	255	255	256	256	256	256	256	256	257	257	258	259	260	261	261
G 19.0	256	256	257	257	257	256	256	256	257	257	258	259	260	261	261
G 20.0	257	257	257	257	257	256	255	255	256	256	257	258	259	260	261
G 21.0	257	258	258	257	256	255	254	254	255	255	256	257	258	259	260
G 22.0	257	258	258	257	256	254	251	249	246	243	240	236	233	230	227
G 23.0	258	258	258	257	255	252	249	246	243	239	235	231	226	222	218
G 24.0	258	258	257	256	254	250	247	243	239	234	229	224	218	214	210
G 25.0	258	258	257	255	252	248	244	240	235	229	223	217	211	207	203
G 26.0	258	257	256	253	249	245	241	236	229	222	216	209	203	199	195
G 27.0	258	257	255	251	247	243	237	231	223	216	208	202	194	188	184
G 28.0	258	256	253	249	244	239	233	225	216	208	201	192	184	178	174
G 29.0	257	255	251	247	241	235	227	219	209	201	191	183	173	167	163
G 30.0	257	254	250	244	238	231	220	211	202	193	182	172	161	155	151
G 31.0	256	253	248	241	233	224	215	204	193	183	171	161	150	144	140
G 32.0	256	252	245	238	228	218	208	196	185	173	160	149	136	130	126
G 33.0	256	250	243	234	223	212	200	187	174	162	148	136	122	116	112
G 34.0	255	249	240	230	218	205	192	179	164	150	136	121	108	102	98
G 35.0	254	247	237	225	212	198	183	170	153	138	122	108	95	89	85
G 36.0	254	245	234	220	206	190	174	158	142	124	108	96	85	79	75
G 37.0	253	243	230	215	199	183	166	148	128	112	96	84	76	70	66
G 38.0	252	240	226	211	192	174	154	136	117	100	86	77	71	65	61
G 39.0	251	237	222	204	185	165	144	124	104	90	78	71	66	60	56
G 40.0	249	234	217	198	177	156	134	114	94	80	71	66	62	57	53
G 41.0	247	230	212	191	168	147	123	102	86	75	67	62	60	55	51
G 42.0	245	226	206	184	161	136	112	93	78	69	63	60	58	53	49
G 43.0	241	222	200	177	152	126	102	85	72	65	60	58	57	52	48
G 44.0	238	218	194	169	142	115	93	78	67	61	57	56	55	50	46
G 45.0	235	213	187	162	132	106	85	72	63	58	55	54	53	48	44
G 46.0	232	208	181	152	121	97	79	67	60	56	53	53	52	47	43
G 47.0	228	202	174	143	112	88	73	63	57	54	52	52	51	46	42
G 48.0	224	196	167	134	103	81	68	60	54	52	51	51	50	45	41
G 49.0	219	190	157	124	95	75	63	56	52	51	50	51	50	45	41
G 50.0	214	183	148	114	87	70	60	54	51	49	49	50	50	45	41
G 51.0	207	176	139	105	80	65	56	52	49	48	48	49	50	45	41
G 52.0	201	167	129	96	74	61	53	49	47	47	47	48	49	44	40
G 53.0	194	157	118	88	68	56	50	47	46	45	45	46	48	43	39
G 54.0	187	148	110	81	63	53	47	45	44	43	44	45	47	42	38
G 55.0	180	139	101	75	58	49	45	43	42	42	43	44	46	41	37
G 56.0	172	130	94	69	54	46	43	41	40	41	41	43	45	40	36
G 57.0	165	120	87	64	50	44	40	39	39	39	40	42	45	40	36
G 58.0	156	113	80	59	47	42	39	38	37	38	38	41	44	40	36
G 59.0	147	103	72	55	44	39	37	36	36	36	37	41	43	40	36
G 60.0	138	94	65	50	41	37	35	34	34	35	37	42	43	40	36
G 61.0	129	85	59	45	38	34	33	33	33	33	37	41	42	40	36
G 62.0	119	78	53	41	35	32	31	31	31	32	36	39	40	38	34
G 63.0	108	70	49	38	32	30	29	29	29	31	35	37	38	36	32
G 64.0	99	64	45	35	30	28	28	28	28	30	34	36	37	36	32
G 65.0	90	58	40	32	28	26	26	26	26	29	32	34	35	34	30
G 66.0	82	52	36	29	27	25	25	25	25	27	30	32	33	32	28
G 67.0	73	47	32	27	25	23	23	23	23	25	28	31	31	30	26
G 68.0	65	41	29	25	23	21	21	21	22	23	26	28	29	28	24
G 69.0	57	36	26	23	21	20	20	20	21	22	23	26	26	25	21
G 70.0	50	31	23	21	19	18	18	19	19	20	21	24	24	23	19
G 71.0	41	27	21	19	18	17	17	17	18	18	19	21	21	20	16
G 72.0	34	23	18	17	16	16	16	16	16	17	17	18	18	17	13

Luminaire

Code 123.456
Name STREET 123

Measurement

Code 123.456
Name STREET 123

Luminaire Flux		10320 lm		Luminaire Power		77.5 W		Efficacy		133.174 lm/W		Efficiency		99.67%	
Source Flux		10354 lm		Maximum value		631.91 cd/klm		Position		C=162.50 G=68.00		CG		Asymmetrical	
Luminous Intensity Table cd/klm														Table 11/36	
		C 235.00	C 237.50	C 240.00	C 242.50	C 245.00	C 247.50	C 250.00	C 252.50	C 255.00	C 257.50	C 260.00	C 262.50	C 265.00	
G 0.0	246	246	246	246	246	246	246	246	246	246	246	246	246	246	246
G 1.0	245	245	245	245	245	246	245	245	245	245	246	246	246	246	246
G 2.0	245	246	245	245	246	246	246	246	246	246	246	246	246	246	246
G 3.0	246	246	246	246	246	246	247	247	247	247	247	247	247	247	247
G 4.0	247	247	247	247	248	248	248	248	248	248	248	249	249	249	249
G 5.0	248	249	249	249	249	250	250	250	250	250	250	251	251	251	251
G 6.0	250	251	251	252	251	252	252	252	253	253	253	253	253	253	254
G 7.0	252	253	253	254	254	255	255	255	255	255	256	256	256	256	256
G 8.0	254	255	255	256	257	257	257	257	258	258	258	259	259	259	259
G 9.0	256	257	258	258	259	259	260	260	260	260	261	261	261	261	262
G 10.0	258	259	260	260	261	261	262	262	262	263	263	264	264	264	264
G 11.0	259	260	261	262	262	263	263	263	264	264	265	265	265	265	265
G 12.0	260	261	262	263	263	264	264	264	265	265	266	266	266	266	266
G 13.0	261	261	262	263	263	264	264	264	265	266	266	266	266	266	266
G 14.0	260	261	262	262	263	263	263	264	264	265	265	265	265	265	265
G 15.0	259	260	261	261	261	262	262	262	263	263	263	263	263	263	263
G 16.0	257	258	258	259	259	259	259	259	259	259	260	260	259	260	260
G 17.0	255	255	255	255	255	255	255	255	255	255	255	255	255	255	255
G 18.0	251	251	251	251	251	250	250	249	249	249	249	249	249	249	248
G 19.0	247	246	246	245	244	244	244	242	242	242	241	242	241	241	241
G 20.0	242	241	240	238	238	236	236	234	235	234	234	234	234	234	233
G 21.0	236	234	232	230	230	227	227	225	226	224	225	224	224	224	224
G 22.0	230	227	225	222	220	218	218	217	217	215	215	214	214	215	215
G 23.0	222	218	215	214	211	209	207	206	205	206	205	204	205	205	205
G 24.0	214	210	206	203	201	199	197	194	195	193	192	193	193	192	192
G 25.0	206	201	196	192	189	186	184	182	181	178	179	178	178	177	177
G 26.0	198	191	187	181	177	173	172	167	166	164	163	163	163	161	161
G 27.0	188	179	174	168	164	159	155	152	150	146	147	144	144	144	144
G 28.0	176	168	162	155	150	144	139	134	132	130	129	125	125	125	125
G 29.0	165	156	147	138	133	126	122	115	114	112	109	107	107	107	107
G 30.0	152	142	133	124	119	110	105	101	100	94	95	92	92	92	92
G 31.0	137	128	117	110	101	95	92	87	85	83	83	82	82	82	82
G 32.0	125	113	103	94	90	83	81	78	78	76	76	76	76	76	76
G 33.0	110	99	91	84	79	76	74	72	72	72	72	72	72	72	73
G 34.0	95	88	81	77	73	71	70	69	69	69	70	70	70	71	71
G 35.0	86	78	74	71	69	68	67	67	67	68	69	70	70	71	71
G 36.0	78	72	69	68	66	66	66	66	67	68	69	70	70	70	70
G 37.0	72	69	66	65	64	65	65	66	67	69	69	70	70	71	71
G 38.0	67	65	64	63	64	64	65	66	68	69	70	71	71	71	71
G 39.0	64	62	62	62	63	64	66	67	68	69	70	72	72	72	72
G 40.0	61	61	61	62	63	65	66	68	69	70	71	72	72	73	73
G 41.0	59	59	60	62	63	65	67	68	69	71	72	72	72	73	73
G 42.0	58	58	60	62	64	66	67	69	70	71	72	72	72	73	73
G 43.0	57	58	60	62	64	66	68	69	70	71	72	73	73	73	73
G 44.0	56	58	60	62	64	66	68	69	70	71	72	73	73	73	73
G 45.0	56	58	59	62	64	66	68	69	70	71	72	73	73	73	73
G 46.0	56	57	59	61	63	65	67	68	69	70	72	72	72	73	73
G 47.0	55	57	59	61	62	64	65	67	68	69	71	72	72	72	72
G 48.0	54	56	58	60	62	63	64	66	67	68	70	70	70	71	71
G 49.0	54	55	57	59	61	62	63	65	66	67	68	69	68	68	68
G 50.0	53	54	56	58	60	61	62	63	65	66	67	66	66	65	65
G 51.0	52	54	55	57	59	60	61	62	63	64	65	63	63	61	61
G 52.0	51	52	54	56	57	58	60	61	61	62	62	59	59	58	58
G 53.0	50	51	53	54	55	57	58	58	59	59	58	55	55	55	55
G 54.0	48	50	51	52	54	54	55	55	55	55	53	52	52	52	52
G 55.0	47	49	49	50	51	51	52	52	52	51	50	49	49	49	49
G 56.0	47	47	47	48	48	49	49	49	49	48	47	47	47	47	47
G 57.0	46	45	45	45	46	46	46	46	46	46	46	45	45	46	46
G 58.0	45	44	43	43	43	43	44	44	44	44	44	44	44	44	44
G 59.0	43	42	41	40	40	41	41	42	43	43	43	43	43	43	43
G 60.0	43	41	39	38	38	39	40	40	41	41	41	41	41	41	41
G 61.0	41	39	37	36	37	37	38	39	39	39	39	39	39	39	39
G 62.0	40	38	36	35	35	36	37	38	38	38	38	38	38	38	38
G 63.0	38	36	35	34	34	35	35	36	36	36	36	36	36	36	36
G 64.0	36	35	34	33	33	33	34	34	34	34	34	34	34	34	34
G 65.0	35	34	33	33	32	32	32	32	32	33	33	32	32	31	31
G 66.0	33	33	33	32	31	30	31	31	31	31	31	30	30	30	30
G 67.0	31	31	32	31	30	29	29	29	29	29	29	28	28	28	28
G 68.0	29	29	30	29	28	28	27	27	28	28	27	27	27	27	27
G 69.0	27	27	28	27	27	26	26	26	26	26	26	26	26	25	25
G 70.0	25	25	25	26	25	25	24	24	25	25	25	24	24	24	24
G 71.0	22	22	23	24	24	23	22	22	23	23	23	22	22	22	22
G 72.0	20	20	21	22	22	21	21	20	21	21	21	20	20	20	20

Luminaire

Code 123.456
Name STREET 123

Measurem.

Code 123.456
Name STREET 123

Luminaire Flux	10320 lm	Luminaire Power	77.5 W	Efficacy	133.174 lm/W	Efficiency	99.67%
Source Flux	10354 lm	Maximum value	631.91 cd/klm	Position	C=162.50 G=68.00	CG	Asymmetrical

Luminous Intensity Table cd/klm Table 12/36

C 267.50

G 0.0	246
G 1.0	246
G 2.0	246
G 3.0	247
G 4.0	249
G 5.0	251
G 6.0	254
G 7.0	256
G 8.0	259
G 9.0	261
G 10.0	264
G 11.0	266
G 12.0	266
G 13.0	266
G 14.0	265
G 15.0	262
G 16.0	259
G 17.0	255
G 18.0	249
G 19.0	240
G 20.0	232
G 21.0	224
G 22.0	214
G 23.0	204
G 24.0	192
G 25.0	177
G 26.0	161
G 27.0	143
G 28.0	125
G 29.0	107
G 30.0	91
G 31.0	81
G 32.0	76
G 33.0	73
G 34.0	72
G 35.0	71
G 36.0	71
G 37.0	71
G 38.0	72
G 39.0	73
G 40.0	73
G 41.0	74
G 42.0	74
G 43.0	74
G 44.0	73
G 45.0	74
G 46.0	73
G 47.0	73
G 48.0	71
G 49.0	68
G 50.0	64
G 51.0	60
G 52.0	57
G 53.0	54
G 54.0	51
G 55.0	49
G 56.0	47
G 57.0	46
G 58.0	45
G 59.0	43
G 60.0	41
G 61.0	39
G 62.0	38
G 63.0	35
G 64.0	33
G 65.0	31
G 66.0	29
G 67.0	28
G 68.0	27
G 69.0	26
G 70.0	24
G 71.0	22
G 72.0	20

Luminaire

Code 123.456
Name STREET 123

Measurem.

Code 123.456
Name STREET 123

Luminaire Flux		10320 lm		Luminaire Power		77.5 W		Efficacy		133.174 lm/W		Efficiency		99.67%		
Source Flux		10354 lm		Maximum value		631.91 cd/klm		Position		C=162.50 G=68.00		CG		Asymmetrical		
Luminous Intensity Table cd/klm														Table 13/36		
		C 270.00	C 272.50	C 275.00	C 277.50	C 280.00	C 282.50	C 285.00	C 287.50	C 290.00	C 292.50	C 295.00	C 297.50	C 300.00		
G 73.0	19	19	19	19	18	19	19	19	19	19	20	21	21	20		
G 74.0	17	17	17	17	17	17	16	17	17	17	18	19	19	18		
G 75.0	15	15	15	15	15	15	15	15	15	16	17	17	17	16		
G 76.0	13	14	13	13	13	13	13	13	13	14	15	15	15	14		
G 77.0	11	12	12	12	12	12	11	11	11	12	13	14	14	13		
G 78.0	10	10	10	10	10	10	9	10	9	10	12	12	12	12		
G 79.0	8	8	8	8	8	8	8	8	8	8	9	10	9	9		
G 80.0	7	6	7	6	6	6	6	6	6	7	7	8	7	7		
G 81.0	5	5	5	5	4	4	4	4	4	5	5	5	5	5		
G 82.0	4	4	4	3	3	3	3	3	3	3	4	4	3	3		
G 83.0	3	3	3	2	2	2	2	2	2	2	2	3	2	2		
G 84.0	2	2	2	1	1	1	1	1	1	1	2	2	1	1		
G 85.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
G 86.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G 87.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G 88.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G 89.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G 90.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G 91.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G 92.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G 93.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G 94.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G 95.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G 96.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G 97.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G 98.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G 99.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G100.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G101.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G102.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G103.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G104.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G105.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G106.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G107.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G108.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G109.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G110.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G111.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G112.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G113.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G114.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G115.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G116.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G117.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G118.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G119.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G120.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G121.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G122.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G123.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G124.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G125.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G126.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G127.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G128.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G129.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G130.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G131.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G132.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

Luminaire

Code 123.456
Name STREET 123

Measurem.

Code 123.456
Name STREET 123

Luminaire Flux	10320 lm	Luminaire Power	77.5 W	Efficacy	133.174 lm/W	Efficiency	99.67%
Source Flux	10354 lm	Maximum value	631.91 cd/klm	Position	C=162.50 G=68.00	CG	Asymmetrical

Luminous Intensity Table cd/klm Table 14/36

	C 302.50	C 305.00	C 307.50	C 310.00	C 312.50	C 315.00	C 317.50	C 320.00	C 322.50	C 325.00	C 327.50	C 330.00	C 332.50
G 73.0	19	19	18	18	17	16	16	15	14	14	14	15	16
G 74.0	17	17	17	16	15	14	14	13	13	13	13	13	14
G 75.0	16	15	14	14	13	12	12	12	11	11	11	11	12
G 76.0	13	13	12	12	11	11	10	10	10	10	10	10	10
G 77.0	12	11	10	10	9	9	8	9	8	8	8	8	8
G 78.0	10	10	8	8	7	7	7	7	7	7	7	7	7
G 79.0	8	8	7	6	6	6	5	6	5	6	5	6	6
G 80.0	6	5	5	5	4	5	4	4	4	4	4	4	4
G 81.0	4	4	4	4	3	3	3	3	3	3	3	3	3
G 82.0	3	3	3	3	3	3	3	2	2	2	2	3	2
G 83.0	2	2	2	2	2	2	2	2	2	2	2	2	2
G 84.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G 85.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G 86.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 87.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 88.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 89.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 90.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 91.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 92.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 93.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 94.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 95.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 96.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 97.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 98.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 99.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G100.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G101.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G102.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G103.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G104.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G105.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G106.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G107.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G108.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G109.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G110.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G111.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G112.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G113.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G114.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G115.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G116.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G117.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G118.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G119.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G120.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G121.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G122.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G123.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G124.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G125.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G126.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G127.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G128.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G129.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G130.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G131.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G132.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 123.456
Name STREET 123

Measurement

Code 123.456
Name STREET 123

Luminaire Flux	10320 lm		Luminaire Power		77.5 W		Efficacy		133.174 lm/W		Efficiency		99.67%
Source Flux	10354 lm		Maximum value		631.91 cd/klm		Position		C=162.50 G=68.00		CG Asymmetrical		
Luminous Intensity Table cd/klm Table 15/36													
	C 335.00	C 337.50	C 340.00	C 342.50	C 345.00	C 347.50	C 350.00	C 352.50	C 355.00	C 357.50	C 0.00	C 2.50	C 5.00
G 73.0	20	29	49	85	144	213	262	287	304	308	329	340	369
G 74.0	16	24	40	70	116	175	226	252	265	276	308	329	357
G 75.0	14	20	32	53	91	141	184	215	234	244	278	304	334
G 76.0	11	16	25	41	71	110	152	179	200	210	247	274	294
G 77.0	9	12	19	32	55	89	120	146	166	174	212	233	242
G 78.0	7	9	15	25	42	64	95	113	125	130	170	177	179
G 79.0	6	7	11	17	28	47	64	75	82	78	107	113	113
G 80.0	5	6	8	11	18	28	37	41	42	38	60	62	55
G 81.0	4	4	5	7	10	15	19	18	20	19	26	27	23
G 82.0	3	3	3	4	6	7	8	8	10	7	11	11	11
G 83.0	2	2	2	2	2	3	4	4	4	4	6	6	5
G 84.0	1	1	1	1	1	2	2	2	2	2	3	3	3
G 85.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G 86.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G 87.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 88.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 89.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 90.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 91.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 92.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 93.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 94.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 95.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 96.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 97.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 98.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 99.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G100.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G101.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G102.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G103.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G104.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G105.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G106.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G107.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G108.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G109.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G110.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G111.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G112.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G113.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G114.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G115.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G116.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G117.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G118.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G119.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G120.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G121.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G122.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G123.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G124.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G125.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G126.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G127.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G128.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G129.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G130.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G131.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G132.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 123.456
Name STREET 123

Measurement

Code 123.456
Name STREET 123

Luminaire Flux	10320 lm	Luminaire Power	77.5 W	Efficacy	133.174 lm/W	Efficiency	99.67%
Source Flux	10354 lm	Maximum value	631.91 cd/klm	Position	C=162.50 G=68.00	CG Asymmetrical	

Luminous Intensity Table cd/klm Table 16/36

	C 7.50	C 10.00	C 12.50	C 15.00	C 17.50	C 20.00	C 22.50	C 25.00	C 27.50	C 30.00	C 32.50	C 35.00	C 37.50
G 73.0	393	423	455	455	423	338	259	189	137	92	64	46	39
G 74.0	378	392	401	387	345	270	199	141	104	68	47	35	33
G 75.0	352	342	337	316	277	213	152	110	77	49	34	29	27
G 76.0	303	294	280	256	219	163	122	87	59	37	26	23	22
G 77.0	249	236	222	193	178	130	99	66	45	28	20	18	18
G 78.0	178	173	170	151	136	98	74	50	34	20	16	15	15
G 79.0	120	115	111	102	94	73	56	39	25	14	11	11	12
G 80.0	63	56	65	61	63	53	42	30	18	10	8	8	9
G 81.0	28	30	31	34	35	32	29	21	13	7	6	5	6
G 82.0	13	14	16	17	20	19	16	13	9	4	4	4	4
G 83.0	6	7	8	9	10	9	9	7	4	3	3	2	3
G 84.0	3	3	4	4	5	5	5	5	2	2	2	1	1
G 85.0	1	2	2	2	2	2	2	2	1	1	1	1	1
G 86.0	1	1	1	1	1	1	1	1	1	0	0	0	0
G 87.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 88.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 89.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 90.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 91.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 92.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 93.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 94.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 95.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 96.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 97.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 98.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 99.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G100.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G101.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G102.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G103.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G104.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G105.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G106.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G107.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G108.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G109.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G110.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G111.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G112.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G113.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G114.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G115.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G116.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G117.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G118.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G119.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G120.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G121.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G122.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G123.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G124.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G125.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G126.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G127.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G128.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G129.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G130.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G131.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G132.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 123.456
Name STREET 123

Measurement

Code 123.456
Name STREET 123

Luminaire Flux	10320 lm		Luminaire Power		77.5 W		Efficacy		133.174 lm/W		Efficiency		99.67%	
Source Flux	10354 lm		Maximum value		631.91 cd/klm		Position		C=162.50 G=68.00		CG Asymmetrical			
Luminous Intensity Table cd/klm Table 17/36														
	C 40.00	C 42.50	C 45.00	C 47.50	C 50.00	C 52.50	C 55.00	C 57.50	C 60.00	C 62.50	C 65.00	C 67.50	C 70.00	
G 73.0	37	35	34	32	31	29	27	24	23	23	22	21	21	
G 74.0	31	31	30	29	27	25	23	21	20	19	19	18	17	
G 75.0	27	27	27	26	25	22	20	18	17	17	16	15	14	
G 76.0	23	24	24	24	22	20	17	16	15	14	14	13	12	
G 77.0	19	21	21	21	18	17	15	14	13	13	12	12	10	
G 78.0	17	18	17	17	16	14	13	12	11	11	10	9	8	
G 79.0	13	14	14	14	13	11	11	10	9	9	8	8	7	
G 80.0	9	11	11	11	9	9	9	8	8	7	7	7	5	
G 81.0	6	7	8	8	7	7	6	6	6	5	5	5	4	
G 82.0	4	5	5	5	5	5	4	4	4	4	3	3	3	
G 83.0	2	3	3	3	3	3	3	3	3	2	2	2	2	
G 84.0	1	2	2	2	2	2	2	2	2	1	1	1	1	
G 85.0	1	1	1	1	1	1	1	1	1	1	1	1	1	
G 86.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G 87.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G 88.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G 89.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G 90.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G 91.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G 92.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G 93.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G 94.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G 95.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G 96.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G 97.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G 98.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G 99.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G100.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G101.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G102.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G103.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G104.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G105.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G106.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G107.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G108.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G109.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G110.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G111.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G112.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G113.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G114.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G115.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G116.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G117.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G118.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G119.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G120.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G121.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G122.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G123.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G124.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G125.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G126.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G127.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G128.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G129.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G130.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G131.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G132.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0	

Luminaire

Code 123.456
Name STREET 123

Measurement

Code 123.456
Name STREET 123

Luminaire Flux	10320 lm	Luminaire Power	77.5 W	Efficacy	133.174 lm/W	Efficiency	99.67%
Source Flux	10354 lm	Maximum value	631.91 cd/klm	Position	C=162.50 G=68.00	CG Asymmetrical	

Luminous Intensity Table cd/klm Table 18/36

	C 72.50	C 75.00	C 77.50	C 80.00	C 82.50	C 85.00	C 87.50	C 90.00	C 92.50	C 95.00	C 97.50	C 100.00	C 102.50
G 73.0	20	18	16	16	15	14	14	14	14	14	15	15	16
G 74.0	16	15	14	13	13	12	12	12	12	12	12	13	13
G 75.0	13	12	12	11	10	10	10	10	10	10	10	11	11
G 76.0	11	10	10	9	9	9	9	9	9	8	9	9	9
G 77.0	9	9	8	8	7	7	7	7	7	7	7	7	8
G 78.0	8	7	7	6	6	6	6	6	6	6	6	6	7
G 79.0	6	6	5	5	5	5	5	5	5	5	5	5	5
G 80.0	5	5	4	4	4	4	4	4	4	4	4	4	4
G 81.0	4	3	3	3	3	3	3	3	3	3	3	3	3
G 82.0	3	3	3	2	2	2	2	2	2	2	2	2	2
G 83.0	2	2	2	2	2	2	2	2	2	1	1	1	2
G 84.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G 85.0	1	1	1	1	1	1	1	1	1	0	1	0	0
G 86.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 87.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 88.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 89.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 90.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 91.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 92.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 93.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 94.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 95.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 96.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 97.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 98.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 99.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G100.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G101.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G102.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G103.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G104.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G105.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G106.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G107.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G108.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G109.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G110.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G111.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G112.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G113.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G114.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G115.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G116.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G117.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G118.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G119.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G120.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G121.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G122.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G123.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G124.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G125.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G126.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G127.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G128.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G129.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G130.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G131.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G132.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 123.456
Name STREET 123

Measurem.

Code 123.456
Name STREET 123

Luminaire Flux	10320 lm		Luminaire Power		77.5 W		Efficacy	133.174 lm/W		Efficiency		99.67%	
Source Flux	10354 lm		Maximum value		631.91 cd/klm		Position	C=162.50 G=68.00		CG Asymmetrical			
Luminous Intensity Table cd/klm Table 19/36													
	C 105.00	C 107.50	C 110.00	C 112.50	C 115.00	C 117.50	C 120.00	C 122.50	C 125.00	C 127.50	C 130.00	C 132.50	C 135.00
G 73.0	17	18	19	20	20	21	22	23	25	27	29	30	32
G 74.0	14	15	16	17	17	18	19	20	22	25	26	28	29
G 75.0	12	13	14	15	15	16	16	18	19	22	24	25	26
G 76.0	10	11	12	13	13	14	14	16	17	19	21	23	23
G 77.0	8	9	10	11	12	12	12	14	14	16	18	20	20
G 78.0	7	7	8	9	10	10	10	12	12	14	15	16	17
G 79.0	6	6	6	7	8	8	9	10	10	11	11	13	13
G 80.0	4	5	5	6	7	7	7	8	8	8	9	10	10
G 81.0	3	4	4	4	5	5	5	6	6	6	6	7	6
G 82.0	2	3	3	3	3	3	4	4	4	4	4	5	5
G 83.0	2	2	2	2	2	2	2	3	3	3	3	3	3
G 84.0	1	1	1	1	1	1	1	2	2	2	2	2	2
G 85.0	0	1	1	1	1	1	1	1	1	1	1	1	1
G 86.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 87.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 88.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 89.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 90.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 91.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 92.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 93.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 94.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 95.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 96.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 97.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 98.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 99.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G100.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G101.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G102.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G103.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G104.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G105.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G106.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G107.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G108.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G109.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G110.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G111.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G112.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G113.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G114.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G115.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G116.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G117.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G118.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G119.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G120.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G121.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G122.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G123.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G124.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G125.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G126.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G127.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G128.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G129.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G130.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G131.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G132.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 123.456
Name STREET 123

Measurement

Code 123.456
Name STREET 123

Luminaire Flux		10320 lm		Luminaire Power		77.5 W		Efficacy		133.174 lm/W		Efficiency		99.67%	
Source Flux		10354 lm		Maximum value		631.91 cd/klm		Position		C=162.50 G=68.00		CG		Asymmetrical	
Luminous Intensity Table cd/klm														Table 20/36	
		C 137.50	C 140.00	C 142.50	C 145.00	C 147.50	C 150.00	C 152.50	C 155.00	C 157.50	C 160.00	C 162.50	C 165.00	C 167.50	
G 73.0	33	34	35	39	52	77	109	158	217	295	373	422	434		
G 74.0	30	29	30	31	38	54	85	121	173	240	313	350	376		
G 75.0	26	25	25	26	31	42	63	96	140	187	252	288	322		
G 76.0	23	22	21	21	23	31	51	77	113	151	196	228	253		
G 77.0	20	18	17	16	19	24	40	61	91	118	151	168	187		
G 78.0	17	16	14	13	14	17	28	47	66	87	110	124	128		
G 79.0	13	12	11	10	10	13	21	33	50	61	76	79	87		
G 80.0	10	8	8	7	8	9	15	25	35	42	48	49	47		
G 81.0	6	6	5	5	5	6	10	17	24	27	30	28	24		
G 82.0	4	4	3	3	4	4	7	11	14	16	17	16	13		
G 83.0	3	2	2	2	3	3	4	6	9	9	8	8	7		
G 84.0	2	1	1	1	1	2	3	3	4	5	5	4	4		
G 85.0	1	1	1	1	1	1	1	2	2	2	2	2	2		
G 86.0	0	0	0	0	0	1	1	1	1	1	1	1	1		
G 87.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G 88.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G 89.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G 90.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G 91.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G 92.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G 93.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G 94.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G 95.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G 96.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G 97.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G 98.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G 99.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G100.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G101.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G102.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G103.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G104.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G105.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G106.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G107.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G108.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G109.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G110.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G111.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G112.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G113.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G114.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G115.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G116.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G117.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G118.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G119.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G120.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G121.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G122.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G123.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G124.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G125.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G126.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G127.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G128.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G129.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G130.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G131.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G132.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0		
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0		

Luminaire

Code 123.456
Name STREET 123

Measurement

Code 123.456
Name STREET 123

Luminaire Flux	10320 lm	Luminaire Power	77.5 W	Efficacy	133.174 lm/W	Efficiency	99.67%
Source Flux	10354 lm	Maximum value	631.91 cd/klm	Position	C=162.50 G=68.00	CG	Asymmetrical

Luminous Intensity Table cd/klm Table 21/36

	C 170.00	C 172.50	C 175.00	C 177.50	C 180.00	C 182.50	C 185.00	C 187.50	C 190.00	C 192.50	C 195.00	C 197.50	C 200.00
G 73.0	422	406	383	351	331	311	301	271	238	192	131	81	47
G 74.0	383	383	360	338	298	274	255	230	203	162	103	65	38
G 75.0	326	331	322	306	253	229	212	188	167	125	84	49	30
G 76.0	267	271	262	256	207	184	175	156	134	97	63	37	22
G 77.0	199	201	187	195	154	146	142	127	106	76	48	28	17
G 78.0	135	135	132	127	103	99	94	90	81	56	36	21	13
G 79.0	81	76	78	84	57	58	60	56	49	38	24	14	9
G 80.0	45	45	39	41	27	24	25	30	29	18	13	9	6
G 81.0	22	20	18	19	12	11	13	14	13	10	8	5	4
G 82.0	11	10	9	9	6	6	6	6	6	5	4	3	3
G 83.0	6	5	4	4	3	3	3	3	3	2	2	2	2
G 84.0	3	3	2	2	2	2	2	2	1	1	1	1	1
G 85.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G 86.0	1	1	1	1	1	1	1	1	1	1	1	0	1
G 87.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 88.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 89.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 90.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 91.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 92.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 93.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 94.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 95.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 96.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 97.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 98.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 99.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G100.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G101.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G102.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G103.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G104.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G105.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G106.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G107.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G108.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G109.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G110.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G111.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G112.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G113.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G114.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G115.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G116.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G117.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G118.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G119.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G120.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G121.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G122.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G123.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G124.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G125.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G126.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G127.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G128.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G129.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G130.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G131.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G132.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 123.456
Name STREET 123

Measurem.

Code 123.456
Name STREET 123

Luminaire Flux	10320 lm	Luminaire Power	77.5 W	Efficacy	133.174 lm/W	Efficiency	99.67%
Source Flux	10354 lm	Maximum value	631.91 cd/klm	Position	C=162.50 G=68.00	CG Asymmetrical	

Luminous Intensity Table cd/klm Table 22/36

	C 202.50	C 205.00	C 207.50	C 210.00	C 212.50	C 215.00	C 217.50	C 220.00	C 222.50	C 225.00	C 227.50	C 230.00	C 232.50
G 73.0	28	20	16	14	14	14	14	14	15	15	16	16	17
G 74.0	23	16	14	12	13	13	12	13	13	13	14	15	15
G 75.0	18	14	12	11	11	11	11	11	11	12	12	13	14
G 76.0	14	11	10	10	9	9	9	9	10	10	10	11	11
G 77.0	11	9	8	8	8	8	8	8	8	8	8	9	10
G 78.0	9	7	7	7	6	6	6	6	6	7	7	7	8
G 79.0	7	6	5	5	5	5	5	5	5	5	5	6	6
G 80.0	5	4	4	4	4	4	4	4	4	4	4	4	4
G 81.0	4	3	3	3	3	3	3	3	3	3	3	3	3
G 82.0	3	2	2	2	2	2	2	2	2	2	2	2	2
G 83.0	2	2	2	2	2	2	2	2	2	2	2	2	2
G 84.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G 85.0	1	1	1	1	1	1	1	1	1	1	1	1	1
G 86.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 87.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 88.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 89.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 90.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 91.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 92.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 93.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 94.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 95.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 96.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 97.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 98.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 99.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G100.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G101.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G102.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G103.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G104.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G105.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G106.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G107.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G108.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G109.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G110.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G111.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G112.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G113.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G114.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G115.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G116.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G117.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G118.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G119.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G120.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G121.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G122.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G123.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G124.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G125.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G126.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G127.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G128.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G129.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G130.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G131.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G132.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 123.456
Name STREET 123

Measurement

Code 123.456
Name STREET 123

Luminaire Flux		10320 lm		Luminaire Power		77.5 W		Efficacy		133.174 lm/W		Efficiency		99.67%	
Source Flux		10354 lm		Maximum value		631.91 cd/klm		Position		C=162.50 G=68.00		CG Asymmetrical			
Luminous Intensity Table cd/klm														Table 23/36	
		C 235.00	C 237.50	C 240.00	C 242.50	C 245.00	C 247.50	C 250.00	C 252.50	C 255.00	C 257.50	C 260.00	C 262.50	C 265.00	
G 73.0	18	19	19	20	20	20	20	19	18	19	19	18	18	18	18
G 74.0	16	17	17	18	18	18	18	18	16	17	16	17	17	17	17
G 75.0	14	15	16	16	17	16	16	16	15	15	15	15	15	15	15
G 76.0	12	13	14	15	15	15	15	14	13	13	13	13	13	13	13
G 77.0	11	11	12	13	13	13	13	12	11	11	11	12	11	12	12
G 78.0	9	10	11	11	11	11	11	10	9	9	9	10	10	10	10
G 79.0	7	8	8	9	9	9	9	8	7	7	7	8	8	8	8
G 80.0	5	5	6	7	7	7	7	6	6	6	6	6	6	6	6
G 81.0	4	4	4	5	5	5	5	4	4	4	4	4	4	4	5
G 82.0	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
G 83.0	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
G 84.0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
G 85.0	1	0	1	1	1	1	1	1	1	1	1	1	1	1	1
G 86.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 87.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 88.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 89.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 90.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 91.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 92.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 93.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 94.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 95.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 96.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 97.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 98.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G 99.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G100.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G101.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G102.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G103.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G104.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G105.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G106.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G107.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G108.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G109.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G110.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G111.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G112.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G113.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G114.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G115.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G116.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G117.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G118.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G119.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G120.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G121.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G122.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G123.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G124.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G125.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G126.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G127.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G128.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G129.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G130.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G131.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G132.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G133.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G134.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G135.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G136.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G137.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G138.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G139.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G140.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G141.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G142.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G143.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G144.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G145.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 123.456
Name STREET 123

Measurem.

Code 123.456
Name STREET 123

Luminaire Flux	10320 lm	Luminaire Power	77.5 W	Efficacy	133.174 lm/W	Efficiency	99.67%
Source Flux	10354 lm	Maximum value	631.91 cd/klm	Position	C=162.50 G=68.00	CG	Asymmetrical

Luminous Intensity Table cd/klm Table 24/36

C 267.50

G 73.0	19
G 74.0	17
G 75.0	15
G 76.0	13
G 77.0	12
G 78.0	10
G 79.0	8
G 80.0	6
G 81.0	5
G 82.0	4
G 83.0	3
G 84.0	2
G 85.0	1
G 86.0	0
G 87.0	0
G 88.0	0
G 89.0	0
G 90.0	0
G 91.0	0
G 92.0	0
G 93.0	0
G 94.0	0
G 95.0	0
G 96.0	0
G 97.0	0
G 98.0	0
G 99.0	0
G100.0	0
G101.0	0
G102.0	0
G103.0	0
G104.0	0
G105.0	0
G106.0	0
G107.0	0
G108.0	0
G109.0	0
G110.0	0
G111.0	0
G112.0	0
G113.0	0
G114.0	0
G115.0	0
G116.0	0
G117.0	0
G118.0	0
G119.0	0
G120.0	0
G121.0	0
G122.0	0
G123.0	0
G124.0	0
G125.0	0
G126.0	0
G127.0	0
G128.0	0
G129.0	0
G130.0	0
G131.0	0
G132.0	0
G133.0	0
G134.0	0
G135.0	0
G136.0	0
G137.0	0
G138.0	0
G139.0	0
G140.0	0
G141.0	0
G142.0	0
G143.0	0
G144.0	0
G145.0	0

Luminaire

Code 123.456
Name STREET 123

Measurem.

Code 123.456
Name STREET 123

Luminaire Flux		10320 lm		Luminaire Power		77.5 W		Efficacy		133.174 lm/W		Efficiency		99.67%												
Source Flux		10354 lm		Maximum value		631.91 cd/klm		Position		C=162.50 G=68.00		CG		Asymmetrical												
Luminous Intensity Table cd/klm Table 25/36																										
C 270.00		C 272.50		C 275.00		C 277.50		C 280.00		C 282.50		C 285.00		C 287.50		C 290.00		C 292.50		C 295.00		C 297.50		C 300.00		
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G163.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G164.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G165.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G166.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G167.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G168.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G169.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G170.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G171.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G172.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G173.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G174.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G175.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G176.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G177.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G178.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G179.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G180.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 123.456
Name STREET 123

Measurem.

Code 123.456
Name STREET 123

Luminaire Flux	10320 lm	Luminaire Power			77.5 W		Efficacy		133.174 lm/W			Efficiency		99.67%	
Source Flux	10354 lm	Maximum value			631.91 cd/klm		Position		C=162.50 G=68.00			CG Asymmetrical			
Luminous Intensity Table cd/klm Table 26/36															
	C 302.50	C 305.00	C 307.50	C 310.00	C 312.50	C 315.00	C 317.50	C 320.00	C 322.50	C 325.00	C 327.50	C 330.00	C 332.50		
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G162.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G163.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G164.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G165.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G166.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G167.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G168.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G169.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G170.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G171.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G172.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G173.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G174.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G175.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G176.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G177.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G178.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G179.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G180.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

Luminaire

Code 123.456
Name STREET 123

Measurem.

Code 123.456
Name STREET 123

Luminaire Flux		10320 lm		Luminaire Power		77.5 W		Efficacy		133.174 lm/W		Efficiency		99.67%	
Source Flux		10354 lm		Maximum value		631.91 cd/klm		Position		C=162.50 G=68.00		CG Asymmetrical			
Luminous Intensity Table cd/klm Table 27/36															
		C 335.00	C 337.50	C 340.00	C 342.50	C 345.00	C 347.50	C 350.00	C 352.50	C 355.00	C 357.50	C 0.00	C 2.50	C 5.00	
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G163.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G164.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G165.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G166.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G167.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G168.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G169.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G170.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G171.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G172.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G173.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G174.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G175.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G176.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G177.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G178.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G179.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G180.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 123.456
Name STREET 123

Measurem.

Code 123.456
Name STREET 123

Luminaire Flux	10320 lm	Luminaire Power				77.5 W	Efficacy		133.174 lm/W		Efficiency		99.67%
Source Flux	10354 lm	Maximum value				631.91 cd/klm	Position		C=162.50 G=68.00		CG Asymmetrical		
Luminous Intensity Table cd/klm Table 28/36													
	C 7.50	C 10.00	C 12.50	C 15.00	C 17.50	C 20.00	C 22.50	C 25.00	C 27.50	C 30.00	C 32.50	C 35.00	C 37.50
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G163.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G164.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G165.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G166.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G167.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G168.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G169.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G170.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G171.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G172.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G173.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G174.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G175.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G176.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G177.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G178.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G179.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G180.0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 123.456
Name STREET 123

Measurem.

Code 123.456
Name STREET 123

Luminaire Flux	10320 lm	Luminaire Power				77.5 W	Efficacy	133.174 lm/W			Efficiency	99.67%	
Source Flux	10354 lm	Maximum value				631.91 cd/klm	Position	C=162.50 G=68.00			CG Asymmetrical		
Luminous Intensity Table cd/klm Table 29/36													
	C 40.00	C 42.50	C 45.00	C 47.50	C 50.00	C 52.50	C 55.00	C 57.50	C 60.00	C 62.50	C 65.00	C 67.50	C 70.00
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G163.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G164.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G165.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G166.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G167.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G168.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G169.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G170.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G171.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G172.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G173.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G174.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G175.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G176.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G177.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G178.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G179.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G180.0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 123.456
Name STREET 123

Measurem.

Code 123.456
Name STREET 123

Luminaire Flux	10320 lm	Luminaire Power	77.5 W	Efficacy	133.174 lm/W	Efficiency	99.67%
Source Flux	10354 lm	Maximum value	631.91 cd/klm	Position	C=162.50 G=68.00	CG	Asymmetrical

Luminous Intensity Table cd/klm Table 30/36

	C 72.50	C 75.00	C 77.50	C 80.00	C 82.50	C 85.00	C 87.50	C 90.00	C 92.50	C 95.00	C 97.50	C 100.00	C 102.50
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G163.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G164.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G165.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G166.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G167.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G168.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G169.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G170.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G171.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G172.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G173.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G174.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G175.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G176.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G177.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G178.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G179.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G180.0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 123.456
Name STREET 123

Measurem.

Code 123.456
Name STREET 123

Luminaire Flux	10320 lm	Luminaire Power			77.5 W		Efficacy		133.174 lm/W		Efficiency		99.67%
Source Flux	10354 lm	Maximum value			631.91 cd/klm		Position		C=162.50 G=68.00		CG Asymmetrical		
Luminous Intensity Table cd/klm Table 31/36													
	C 105.00	C 107.50	C 110.00	C 112.50	C 115.00	C 117.50	C 120.00	C 122.50	C 125.00	C 127.50	C 130.00	C 132.50	C 135.00
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G163.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G164.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G165.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G166.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G167.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G168.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G169.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G170.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G171.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G172.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G173.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G174.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G175.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G176.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G177.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G178.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G179.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G180.0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 123.456
Name STREET 123

Measurem.

Code 123.456
Name STREET 123

Luminaire Flux		10320 lm		Luminaire Power		77.5 W		Efficacy		133.174 lm/W		Efficiency		99.67%													
Source Flux		10354 lm		Maximum value		631.91 cd/klm		Position		C=162.50 G=68.00		CG		Asymmetrical													
Luminous Intensity Table cd/klm														Table 32/36													
		C 137.50		C 140.00		C 142.50		C 145.00		C 147.50		C 150.00		C 152.50		C 155.00		C 157.50		C 160.00		C 162.50		C 165.00		C 167.50	
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G163.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G164.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G165.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G166.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G167.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G168.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G169.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G170.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G171.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G172.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G173.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G174.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G175.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G176.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G177.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G178.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G179.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G180.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 123.456
Name STREET 123

Measurem.

Code 123.456
Name STREET 123

Luminaire Flux	10320 lm	Luminaire Power			77.5 W		Efficacy		133.174 lm/W		Efficiency		99.67%
Source Flux	10354 lm	Maximum value			631.91 cd/klm		Position		C=162.50 G=68.00		CG Asymmetrical		
Luminous Intensity Table cd/klm Table 33/36													
	C 170.00	C 172.50	C 175.00	C 177.50	C 180.00	C 182.50	C 185.00	C 187.50	C 190.00	C 192.50	C 195.00	C 197.50	C 200.00
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G163.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G164.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G165.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G166.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G167.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G168.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G169.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G170.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G171.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G172.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G173.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G174.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G175.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G176.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G177.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G178.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G179.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G180.0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 123.456
Name STREET 123

Measurement

Code 123.456
Name STREET 123

Luminaire Flux	10320 lm	Luminaire Power	77.5 W	Efficacy	133.174 lm/W	Efficiency	99.67%
Source Flux	10354 lm	Maximum value	631.91 cd/klm	Position	C=162.50 G=68.00	CG	Asymmetrical

Luminous Intensity Table cd/klm Table 34/36

	C 202.50	C 205.00	C 207.50	C 210.00	C 212.50	C 215.00	C 217.50	C 220.00	C 222.50	C 225.00	C 227.50	C 230.00	C 232.50
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G163.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G164.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G165.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G166.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G167.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G168.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G169.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G170.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G171.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G172.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G173.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G174.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G175.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G176.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G177.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G178.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G179.0	0	0	0	0	0	0	0	0	0	0	0	0	0
G180.0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 123.456
Name STREET 123

Measurem.

Code 123.456
Name STREET 123

Luminaire Flux		10320 lm		Luminaire Power		77.5 W		Efficacy		133.174 lm/W		Efficiency		99.67%	
Source Flux		10354 lm		Maximum value		631.91 cd/klm		Position		C=162.50 G=68.00		CG		Asymmetrical	
Luminous Intensity Table cd/klm Table 35/36															
		C 235.00	C 237.50	C 240.00	C 242.50	C 245.00	C 247.50	C 250.00	C 252.50	C 255.00	C 257.50	C 260.00	C 262.50	C 265.00	C 267.50
G146.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G147.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G148.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G149.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G150.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G151.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G152.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G153.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G154.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G155.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G156.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G157.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G158.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G159.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G160.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G161.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G162.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G163.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G164.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G165.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G166.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G167.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G168.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G169.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G170.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G171.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G172.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G173.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G174.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G175.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G176.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G177.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G178.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G179.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
G180.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Luminaire

Code 123.456
Name STREET 123

Measurem.

Code 123.456
Name STREET 123

Luminaire Flux	10320 lm	Luminaire Power	77.5 W	Efficacy	133.174 lm/W	Efficiency	99.67%
Source Flux	10354 lm	Maximum value	631.91 cd/klm	Position	C=162.50 G=68.00	CG	Asymmetrical

Luminous Intensity Table cd/klm Table 36/36

C 267.50

G146.0	0
G147.0	0
G148.0	0
G149.0	0
G150.0	0
G151.0	0
G152.0	0
G153.0	0
G154.0	0
G155.0	0
G156.0	0
G157.0	0
G158.0	0
G159.0	0
G160.0	0
G161.0	0
G162.0	0
G163.0	0
G164.0	0
G165.0	0
G166.0	0
G167.0	0
G168.0	0
G169.0	0
G170.0	0
G171.0	0
G172.0	0
G173.0	0
G174.0	0
G175.0	0
G176.0	0
G177.0	0
G178.0	0
G179.0	0
G180.0	0